QL
542
B8X
suppl.1-2
Plates
Ent.

H. Schaus

CATALOGUE

OF THE

LEPIDOPTERA PHALÆNÆ

IN THE

BRITISH MUSEUM.

SUPPLEMENT. VOLUME I.

PLATES I—XLI.

SMITHSONIAN LIBRARY

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.
1915.

(*All rights reserved.*)

W. Schaus

PRESENTED

BY

The Trustees

OF

THE BRITISH MUSEUM.



W. Schaus

QL
542 British museum. (Nat. Hist.)
B8X
Suppl. 1-2
plates
Ent,
J. P.

CATALOGUE

OF THE

LEPIDOPTERA PHALÆNÆ

IN THE

BRITISH MUSEUM.

Published March 26th 1915

SUPPLEMENT. VOLUME I.

PLATES I—XLI.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1915.

(*All rights reserved.*)

SMITHSONIAN
MAY 31 1955
LIBRARY

352913

CATALOGUE

OF THE

AMATIDÆ

AND

ARCTIADÆ

(NOLINÆ AND LITHOSIANÆ)

IN THE

COLLECTION

OF THE

BRITISH MUSEUM.

BY

SIR GEORGE F. HAMPSON, BART.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS, GREEN & Co., 39 PATERNOSTER ROW, LONDON, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, LONDON, W.;
DULAU & Co., LTD., 37 SOHO SQUARE, LONDON, W.;
THE MIDLAND EDUCATIONAL Co., LTD., CORPORATION STREET, BIRMINGHAM.

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1915.

PLATE I.

1.	*Callitomis multicincta*, ♂.	Suppl. I.	p.	1.	Java.
2.	,, *phæosoma*, ♂.	,,	p.	2.	Java.
3.	*Ceryx albipuncta*, ♂.	,,	p.	3.	Philippines.
4.	,, *nacliodes*, ♂.	,,	p.	3.	Mashonaland.
5.	,, *arua*, ♀.	,,	p.	4.	N. Guinea.
6.	,, *swinhœi*, ♂.	,,	p.	5.	N. Guinea.
7.	,, *pleurasticta*, ♂.	,,	p.	6.	Kanara.
8.	,, *craushayi*, ♂.	,,	p.	6.	Br. E. Africa.
9.	,, *cybelistes*, ♂.	,,	p.	7.	Uganda.
10.	,, *flava*, ♂.	,,	p.	7.	Angola.
11.	*Myopsyche xanthosoma*, ♀.	,,	p.	8.	Uganda.
12.	*Trichæta schultzei*, ♂.	,,	p.	10.	Nigeria.
13.	,, *dohertyi*, ♂.	,,	p.	10.	Perak.
14.	,, *proleuca*, ♂.	,,	p.	11.	Sumatra.
15.	,, *borealis*, ♂.	,,	p.	11.	Borneo.
16.	,, *biplagiata*, ♀.	,,	p.	11.	Borneo.
17.	,, *monoleuca*, ♀.	,,	p.	12.	Singapore.
18.	*Amata sexpuncta*, ♀.	,,	p.	13.	Borneo.
19.	,, *xanthosoma*, ♂.	,,	p.	14.	Queensland.
20.	,, *prosomœa*, ♂.	,,	p.	15.	Queensland.
21.	,, *dyschlœna*, ♂.	,,	p.	15.	Queensland.
22.	*Trichæta burtti*, ♂.	,,	p.	10.	Pemba I.
23.	*Amata madurensis*, ♂.	,,	p.	15.	Madras.
24.	,, *leucozona*, ♀.	,,	p.	16.	Borneo.
25.	,, *subdiaphana*, ♀.	,,	p.	16.	Java.
26.	,, *paradelpha*, ♂.	,,	p.	17.	Queensland.
27.	,, *sala*, ♂.	,,	p.	17.	Borneo.
28.	,, *phæochyta*, ♂.	,,	p.	18.	Queensland.
29.	,, *melaproctis*, ♂.	,,	p.	19.	Philippines.
30.	,, *clementsi*, ♂.	,,	p.	19.	W. Australia.
31.	,, *chroma*, ♂.	,,	p.	19.	N. Australia.
32.	,, *amœnaria*, ♂.	,,	p.	20.	W. Australia.

PLATE II.

1.	*Amata trigonophora*, ♂.	Suppl. I.	p. 20.	Queensland.
2.	,, *melitospila*, ♂.	,,	p. 20.	N. Australia.
3.	,, *xanthura*, ♂.	,,	p. 21.	Victoria.
4.	,, *cingulata*, ♀.	,,	p. 21.	Queensland.
5.	,, *heptaspila*, ♂.	,,	p. 22.	Queensland.
6.	,, *choneutospila*, ♂.	,,	p. 18.	Queensland.
7.	,, *chromatica*, ♂.	,,	p. 22.	Queensland.
8.	,, *magistri*, ♂.	,,	p. 23.	N. S. Wales.
9.	,, *orphnœa*, ♂.	,,	p. 23.	Queensland.
10.	,, *philippinensis*, ♂.	,,	p. 23.	Philippines
11.	,, *ticaonis*, ♂.	,,	p. 24.	Philippines.
12.	,, *paraula*, ♀.	,,	p. 25.	Queensland.
13.	,, *phepsalotis*, ♀.	,,	p. 22.	Queensland.
14.	,, *consimilis*, ♂.	,,	p. 26.	Br. E. Africa.
15.	,, *cuprizonata*, ♀.	,,	p. 27.	Br. E. Africa.
16.	,, *endocrocis*, ♀.	,,	p. 28.	Mashonaland.
17.	,, *phœobasis*, ♀.	,,	p. 28.	Uganda.
18.	,, *rubritincta*, ♂.	,,	p. 29.	Br. E. Africa.
19.	,, *flava*, ♂.	,,	p. 30.	Formosa.
20.	,, *xanthostidsa*, ♀.	,,	p. 31.	Philippines.
21.	,, *punctata*, ♀.	,,	p. 31.	Philippines.
22.	,, *cholmlei*, ♂.	,,	p. 32.	Br. E. Africa.
23.	,, *interrupta*, ♀.	,,	p. 34.	Hongkong.
24.	,, *lucerna*, ♂.	,,	p. 34.	Formosa.
25.	,, *palanana*, ♂.	,,	p. 36.	Philippines.
26.	,, *chloroscia*, ♀.	,,	p. 37.	Br. E. Africa.
27.	,, *symphona*, ♀.	,,	p. 38.	Borneo.
28.	,, *entebi*, ♀.	,,	p. 38.	Uganda.
29.	,, *elongata*, ♂.	,,	p. 38.	Travancore.
30.	,, *leucozonoides*, ♀.	,,	p. 16.	Borneo.
31.	,, *congener*, ♀.	,,	p. 39.	Br. E. Africa.
32.	,, *minuta*, ♂.	,,	p. 40.	W. Turkestan.

PLATE III.

1.	*Amata libanotica*, ♂.	Suppl. I. p. 40.	Syria.
2.	„ *melanocera*, ♂.	„ p. 40.	N. China.
3.	„ *tritonia*, ♀.	„ p. 41.	S. Nigeria.
4.	„ *xanthopleura*, ♀.	„ p. 41	Uganda.
5.	„ *monticola*, ♀.	„ p. 42.	Germ. E. Africa.
6.	„ *xanthographa*, ♂.	„ p. 32.	Kashmir.
7.	„ *lagosensis*, ♂.	„ p. 42.	S. Nigeria.
8.	„ *cyanea*, ♀.	„ p. 42.	Uganda.
9.	„ *monothyris*, ♀.	„ p. 43.	Uganda.
10.	„ *basithyris*, ♀.	„ p. 44.	S. Leone.
11.	„ *tripunctata*, ♀.	„ p. 44.	Angola.
12.	*Eressa catena*, ♀.	„ p. 47.	Formosa.
13.	„ *strepsimeris*, ♀.	„ p. 47.	N. Australia.
14.	„ *xanthostacta*, ♂.	„ p. 47.	Queensland.
15.	„ *africana*, ♂.	„ p. 48.	Uganda.
16.	„ *ericssoni*, ♂.	„ p. 49.	Sumatra.
17.	„ *syntomoides*, ♀.	„ p. 50.	Borneo.
18.	*Hyalæthea bivitreata*, ♂.	„ p. 55.	Tenimber.
19.	*Epitoxis nigra*, ♂.	„ p. 55.	Gazaland.
20.	„ *albicincta*, ♂.	„ p. 56.	Br. E. Africa.
21.	„ *borguensis*, ♂.	„ p. 56.	N. Nigeria.
22.	*Meganaclia minor*, ♂.	„ p. 61.	Uganda.
23.	*Thyretes trichætiformis*, ♂.	„ p. 61.	Germ. E. Africa.
24.	*Apisa sjostedti*, ♀.	„ p. 62.	Cameroons.
25.	„ *lamborni*, ♂.	„ p. 62.	S. Nigeria.
26.	„ *metarctiodes*, ♂.	„ p. 63.	Uganda.
27.	„ *albimacula*, ♀.	„ p. 63.	Uganda.
28.	„ *endoxantha*, ♀.	„ p. 64.	Uganda.
29.	*Metarctia aurantifusca*, ♀.	„ p. 65.	S. Nigeria.
30.	„ *rubrilineata*, ♂.	„ p. 66.	Angola.
31.	„ *ferrigera*, ♀.	„ p. 66.	Cameroons.
32.	„ *nigriceps*, ♀	„ p. 67.	Cameroons.

Horace Knight del. et lith. West, Newman

PLATE IV.

1.	*Metarctia rubribasa*, ♀.	Suppl. I.	p. 67.	Angola.
2.	,, *pulverea*, ♀.	,,	p. 68.	Uganda.
3.	,, *phæoptera*, ♀.	,,	p. 68.	Congo.
4.	,, *pumila*, ♂.	,,	p. 69.	Uganda.
5.	,, *hæmatricha*, ♂.	,,	p. 69.	Abyssinia.
6.	,, *metaleuca*, ♂.	,,	p. 69.	Liberia.
7.	,, *fusca*, ♂.	,,	p. 69.	Br. E. Africa.
8.	,, *flavivena*, ♂.	,,	p. 69.	Br. E. Africa.
9.	,, *flaviciliata*, ♂.	,,	p. 70.	Uganda.
10.	,, *flavicincta*, ♂.	,,	p. 70.	Br. E. Africa.
11.	,, *noctis*, ♂.	,,	p. 71.	Abyssinia.
12.	,, *bicolora*, ♂.	,,	p. 71.	Natal.
13.	,, *fulvia*, ♂.	,,	p. 72.	Br. E. Africa.
14.	,, *pallida*, ♂.	,,	p. 72.	Br. E. Africa.
15.	,, ,, ♂.	,,	p. 72.	Abyssinia.
16.	*Balacra inflammata*, ♂.	,,	p. 80.	Gold Coast.
17.	*Pseudosphex melanogen*, ♂.	,,	p. 85.	S. Brazil.
18.	,, *aracia*, ♂.	,,	p. 85.	S. Brazil.
19.	,, *aurifera*, ♀.	,,	p. 87.	Venezuela.
20.	,, *rubripalpus*, ♂.	,,	p. 89.	S. Brazil.
21.	*Sphecosoma metamela*, ♂.	,,	p. 89.	Paraguay.
22.	,, *linda*, ♂.	,,	p. 90.	S. Brazil.
23.	,, *sparta*, ♂.	,,	p. 90.	Colombia.
24.	,, *nigrifer*, ♂.	,,	p. 91.	Mexico.
25.	,, *melapera*, ♂.	,,	p. 91.	Colombia.
26.	,, *meridionalis*, ♂.	,,	p. 92.	Paraguay.
27.	,, *nigriceps*, ♂.	,,	p. 92.	Bolivia.
28.	,, *alica*, ♂.	,,	p. 92.	S. Brazil.
29.	,, *abdominalis*, ♂.	,,	p. 93.	Venezuela.
30.	,, *matta*, ♂.	,,	p. 93.	S. Brazil.
31.	,, *semelina*, ♂.	,,	p. 94.	S. Brazil.
32.	*Pompiliodes obliqua*, ♀.	,,	p. 95.	Ecuador.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

PLATE V.

1.	*Homœocera magnolimbata*, ♀.	Suppl. I.	p. 95.	Fr. Guiana.
2.	,, *rhodocera*, ♀.	,,	p. 96.	Panama.
3.	,, *duronia*, ♂.	,,	p. 96.	Colombia.
4.	,, *trizona*, ♀.	,,	p. 97.	Venezuela.
5.	,, *albizonata*, ♂.	,,	p. 97.	Colombia.
6.	*Isanthrene monticola*, ♂.	,,	p. 97.	Costa Rica.
7.	,, *schausi*, ♀.	,,	p. 98.	Mexico.
8.	,, *joda*, ♂.	,,	p. 100.	Peru.
9.	,, *atrizonata*, ♀.	,,	p. 100.	Colombia.
10.	,, *fulvipuncta*, ♀.	,,	p. 101.	Panama.
11.	,, *meridensis*, ♂.	,,	p. 101.	Venezuela.
12.	,, *crabronides*, ♂.	,,	p. 101.	Colombia.
13.	,, *dorsimacula*, ♂.	,,	p. 102.	Colombia.
14.	*Autochloris cincta*, ♀.	,,	p. 102.	Fr. Guiana.
15.	,, *xanthogastroides*, ♀.	,,	p. 103.	S. Brazil.
16.	,, *simulans*, ♀.	,,	p. 103.	Fr. Guiana.
17.	,, *trinitatis*, ♀.	,,	p. 104.	Trinidad.
18.	*Sarosa epona*, ♂.	,,	p. 105.	Venezuela.
19.	,, *atritorna*, ♂.	,,	p. 105.	Colombia.
20.	,, *lutibasis*, ♂.	,,	p. 106.	Panama.
21.	,, *mora*, ♂.	,,	p. 107.	Costa Rica.
22.	,, *helotes*, ♂.	,,	p. 107.	Colombia.
23.	,, *connotata*, ♀.	,,	p. 108.	Peru.
24.	,, *annotata*, ♂.	,,	p. 108.	Colombia.
25.	*Dasysphinx semicincta*, ♂.	,,	p. 109.	Colombia.
26.	,, *volatilis*, ♂.	,,	p. 110.	Costa Rica.
27.	,, *tarsipuncta*, ♀.	,,	p. 110.	S. Brazil.
28.	*Gymnelia pavo*, ♀.	,,	p. 115.	Peru.
29.	,, *zelosa*, ♀.	,,	p. 114.	Colombia.
30.	,, *hampsoni*, ♂.	,,	p. 116.	Venezuela.
31.	,, *villia*, ♀.	,,	p. 118.	Peru.
32.	,, *guapila*, ♂.	,,	p. 119.	Costa Rica.

PLATE VI.

1.	*Gymnelia colona*, ♀.	Suppl. I.	p. 120.	Costa Rica.
2.	„ *lucens*, ♂.	„	p. 120.	Colombia.
3.	„ *hyaloxantha*, ♀.	„	p. 120.	Colombia.
4.	„ *nobilis*, ♂.	„	p. 121.	Costa Rica.
5.	„ *peratea*, ♂.	„	p. 121.	Colombia.
6.	„ *paranapanema*, ♀.	„	p. 123.	S. Brazil.
7.	*Phœnicoprocta flavipicta*, ♂.	„	p. 123.	Br. Guiana.
8.	„ *analis*. ♂.	„	p. 123.	Argentina.
9.	„ *carminata*, ♀.	„	p. 124.	Bahamas.
10.	„ *biformata*, ♀.	„	p. 124.	Honduras.
11.	„ *jamaicensis*, ♂.	„	p. 124.	Jamaica.
12.	„ *chamboni*, ♂.	„	p. 125.	San Salvador.
13.	*Eunomia caymanensis*, ♀.	„	p. 126.	Grand Cayman.
14.	*Pheia plebecula*, ♂.	„	p. 127.	Colombia.
15.	„ *flavicincta*, ♂.	„	p. 128.	Argentina.
16.	„ *discophora*, ♂.	„	p. 128.	Colombia.
17.	„ *bisigna*, ♂.	„	p. 128.	Br. Guiana.
18.	„ *hæmatosticta*, ♀.	„	p. 129.	S. Brazil.
19.	„ *lateralis*, ♀.	„	p. 129.	Venezuela.
20.	„ *hæmapleura*, ♀.	„	p. 130.	Brazil.
21.	„ *pyrama*, ♂.	„	p. 130.	Fr. Guiana.
22.	„ *xanthozona*, ♂.	„	p. 130.	Fr. Guiana.
23.	*Mimagyrta abdominalis*, ♂.	„	p. 131.	Amazons.
24.	„ *pulchella*, ♀.	„	p. 131.	Venezuela.
25.	*Loxophlebia aurantiaca*, ♂.	„	p. 132.	S. Brazil.
26.	„ *melamela*, ♂.	„	p. 132.	S. America.
27.	„ *fininigra*, ♂.	„	p. 133.	S. Brazil.
28.	„ *flavipicta*, ♂.	„	p. 133.	Costa Rica.
29.	„ *cinctata*, ♀.	„	p. 134.	Venezuela.
30.	„ *egregia*, ♀.	„	p. 134.	Costa Rica.
31.	„ *chrysobasis*, ♀.	„	p. 134.	Colombia.
32.	„ *pheiodes*, ♂.	„	p. 135.	Colombia.

Horace Knight del et lith

West Newman chr

PLATE VII.

1.	*Loxophlebia crusmatica*, ♂.	Suppl. I.	p. 136.	Fr. Guiana.
2.	„ *davisi*, ♀.	„	p. 136.	Br. Honduras.
3.	„ *peralta*, ♂.	„	p. 136.	Costa Rica.
4.	„ *socorrensis*, ♂.	„	p. 137.	Colombia.
5.	„ *geminata*, ♂.	„	p. 137.	Fr. Guiana.
6.	„ *flavinigra*, ♂.	„	p. 137.	S. Brazil.
7.	„ *multicincta*, ♀.	„	p. 138.	Colombia.
8.	„ *nigricornis*, ♂.	„	p. 138.	Colombia.
9.	„ *albicincta*, ♂.	„	p. 138.	Peru.
10.	*Mesothen perflava*, ♂.	„	p. 139.	S. Brazil.
11.	„ *temperata*, ♂.	„	p. 139.	Costa Rica.
12.	„ *bisexualis*, ♂.	„	p. 140.	Colombia.
13.	„ *albifrons*, ♀.	„	p. 143.	Colombia.
14.	„ *cthela*, ♀.	„	p. 143.	Costa Rica.
15.	„ *albilimbata*, ♂.	„	p. 140.	Colombia.
16.	„ *aurata*, ♀.	„	p. 141.	Colombia.
17.	„ *occendeni*, ♂.	„	p. 141.	Peru.
18.	„ *aurantiaca*, ♀.	„	p. 141.	Peru.
19.	„ *flavicostata*, ♂.	„	p. 142.	Peru.
20.	„ *nomia*, ♀.	„	p. 142.	Colombia.
21.	„ *montana*, ♀.	„	p. 144.	Costa Rica.
22.	„ *inconspicuata*, ♀.	„	p. 145.	Br. Guiana.
23.	„ *pyrrhina*, ♂.	„	p. 145.	S. Brazil.
24.	„ *cæruleicorpus*, ♂.	„	p. 145.	Colombia.
25.	„ *aurantegula*, ♀.	„	p. 146.	S. Brazil.
26.	„ *nana*, ♀.	„	p. 146.	Fr. Guiana.
27.	„ *endoleuca*, ♂.	„	p. 146.	Venezuela.
28.	*Chrostosoma pellucida*, ♂.	„	p. 147.	Peru.
29.	„ *mysia*, ♂.	„	p. 147.	Peru.
30.	„ *patricia*, ♀.	„	p. 148.	Costa Rica.
31.	„ *rica*, ♂.	„	p. 148.	Ecuador.
32.	*Leucotmemis endochrysa*, ♂.	„	p. 149.	Fr. Guiana.

Horace Knight del. et lith.

PLATE VIII.

1.	*Leucotmemis thoracica*, ♀.	Suppl. I.	p. 150.	Fr. Guiana.
2.	„ *albigutta*, ♀.	„	p. 151.	Surinam.
3.	*Cosmosoma entella*, ♂.	„	p. 152.	Ecuador.
4.	„ *myrodora*, ♂.	„	p. 153.	Florida.
5.	„ *rubritarsis*, ♀.	„	p. 153.	Costa Rica.
6.	„ *mathani*, ♂.	„	p. 153.	Colombia.
7.	„ *basistiba*, ♀.	„	p. 154.	Colombia.
8.	„ *galatea*, ♂.	„	p. 154.	Costa Rica.
9.	„ *sitiona*, ♂.	„	p. 155.	Costa Rica.
10.	„ *albifrons*, ♂.	„	p. 155.	Panama.
11.	„ *notostiba*, ♂.	„	p. 156.	Colombia.
12.	„ *pytna*, ♂.	„	p. 157.	Trinidad.
13.	„ *bella*, ♂.	„	p. 158.	S. Brazil.
14.	„ *cinctuta*, ♀.	„	p. 158.	Costa Rica.
15.	„ *apennina*, ♂.	„	p. 158.	Peru.
16.	„ *galbana*, ♂.	„	p. 160.	Costa Rica.
17.	„ *thiacca*, ♂.	„	p. 160.	Costa Rica.
18.	„ *sandion*, ♂.	„	p. 161.	Colombia.
19.	„ *rasera*, ♂.	„	p. 161.	S. Brazil.
20.	„ *corvica*, ♀.	„	p. 162.	Bolivia.
21.	„ *rubricorpus*, ♂.	„	p. 162.	Br. Guiana.
22.	„ *flavicinctata*, ♂.	„	p. 163.	Br. Guiana.
23.	„ *pellucida*, ♀.	„	p. 164.	Brazil.
24.	„ *achemonides*, ♂.	„	p. 164.	Peru.
25.	„ *anoxanthia*, ♂.	„	p. 165.	Venezuela.
26.	„ *thoracica*, ♂.	„	p. 165.	Fr. Guiana.
27.	„ *thia*, ♂.	„	p. 165.	Ecuador.
28.	„ *carmena*, ♀.	„	p. 167.	Ecuador.
29.	„ *impudica*, ♂.	„	p. 167.	Costa Rica.
30.	„ *flavita*, ♂.	„	p. 168.	Colombia.
31.	„ *notosticta*, ♀.	„	p. 168.	Colombia.
32.	„ *stictinota*, ♂.	„	p. 169.	Colombia.

PLATE IX.

1.	*Cosmosoma dorsicincta*, ♀.	Suppl. I.	p. 169.	Colombia.
2.	„ *diplosticta*, ♂.	„	p. 169.	Colombia.
3.	„ *angustimargo*, ♀.	„	p. 171.	Costa Rica.
4.	„ *phœnicophora*, ♂.	„	p. 172.	Fr. Guiana.
5.	„ *coccinifera*, ♀.	„	p. 172.	Colombia.
6.	„ *vespoides*, ♂.	„	p. 160.	Peru.
7.	*Mystrocneme albicorpus*, ♂.	„	p. 173.	Br. Guiana.
8.	„ *secta*, ♂.	„	p. 173.	Br. Guiana.
9.	*Dixophlebia holophæa*, ♂.	„	p. 174.	Br. Guiana.
10.	*Ichoria semiopaca*, ♀.	„	p. 174.	S. Brazil.
11.	„ *virescens*, ♂.	„	p. 174.	Bolivia.
12.	*Pseudomya nigrozona*, ♀.	„	p. 175.	Fr. Guiana.
13.	*Holophæa gentilicia*, ♂.	„	p. 176.	Costa Rica.
14.	„ *endoleuca*, ♀.	„	p. 176.	Colombia.
15.	„ *melita*, ♂.	„	p. 176.	Ecuador.
16.	„ *eurytorna*, ♂.	„	p. 176.	Colombia.
17.	*Psilopleura flavicans*, ♀.	„	p. 177.	Colombia.
18.	„ *pentheri*, ♀.	„	p. 178.	S. Brazil.
19.	„ *dolens*, ♂.	„	p. 179.	Costa Rica.
20.	„ *hæmasoma*, ♂.	„	p. 179.	S. Brazil.
21.	*Rhynchopyga castra*, ♂.	„	p. 180.	S. Brazil.
22.	„ *braconida*, ♂.	„	p. 180.	S. Brazil.
23.	„ *semirufa*, ♂.	„	p. 180.	Peru.
24.	„ *dulcicordis*, ♂.	„	p. 181.	Mexico.
25.	„ *bicolor*, ♂.	„	p. 181.	Argentina.
26.	„ *steniptera*, ♀.	„	p. 182.	Br. Guiana.
27.	*Saurita improvisa*, ♀.	„	p. 182.	Costa Rica.
28.	„ *hemiphæa*, ♂.	„	p. 183.	Fr. Guiana.
29.	„ *ochreiventris*, ♀.	„	p. 184.	Ecuador.
30.	„ *lacteipars*, ♂.	„	p. 184.	Colombia.
31.	„ *perspicua*, ♀.	„	p. 185.	Trinidad.
32.	„ *gracula*, ♂.	„	p. 185.	Colombia.

PLATE X.

1.	*Saurita rubripuncta*, ♀.	Suppl. I.	p. 185.	Costa Rica.
2.	,, *mosca*, ♂.	,,	p. 186.	Ecuador.
3.	,, *fumosa*, ♂.	,,	p. 187.	Costa Rica.
4.	,, *cryptoleuca*, ♂.	,,	p. 187.	S. Brazil.
5.	,, *latens*, ♂.	,,	p. 187.	Costa Rica.
6.	,, *submacula*, ♂.	,,	p. 188.	Costa Rica.
7.	,, *tricolor*, ♀.	,,	p. 188.	Fr. Guiana.
8.	,, *hilda*, ♂.	,,	p. 188.	Peru.
9.	,, *cretheis*, ♂.	,,	p. 189.	Ecuador.
10.	,, *anthracina*, ♀.	,,	p. 189.	Venezuela.
11.	,, *lasiphlebia*, ♀.	,,	p. 190.	Fr. Guiana.
12.	*Eurota paraguayensis*, ♂.	,,	p. 191.	Paraguay.
13.	,, *minerva*, ♀.	,,	p. 192.	S. Brazil.
14.	,, *tisamena*, ♂.	,,	p. 192.	S. Brazil.
15.	,, *xanthosoma*, ♂.	,,	p. 192.	Argentina.
16.	,, *nigricincta*, ♂.	,,	p. 193.	Argentina.
17.	,, *plutonica*, ♀.	,,	p. 193.	Mexico.
18.	,, *elegans*, ♂.	,,	p. 194.	Paraguay.
19.	*Dycladia transacta*, ♂.	,,	p. 195.	Brazil.
20.	,, *xanthobasis*, ♀.	,,	p. 195.	Br. Guiana.
21.	,, *lydia*, ♀.	,,	p. 195.	Brazil.
22.	*Euchromia rubricollis*, ♀.	,,	p. 196.	S. Leone.
23.	,, *interrupta*, ♀.	,,	p. 197.	Uganda.
24.	,, *collaris*, ♂.	,,	p. 198.	Solomons.
25.	,, *epa*, ♂.	,,	p. 198.	N. Guinea.
26.	,, *plagosa*, ♀.	,,	p. 198.	New Britain
27.	,, *dohertyi*, ♂.	,,	p. 199.	Buru.
28.	,, *pratti*, ♂.	,,	p. 200.	N. Guinea.
29.	,, *ceicei*, ♂.	,,	p. 200.	N. Guinea.
30.	,, *vitiensis*, ♂.	,,	p. 202.	Fiji.
31.	*Syntomeida hampsoni*, ♂.	,,	p. 202.	Arizona.
32	,, *austera*, ♀.	,,	p. 202.	Paraguay.

PLATE XI.

1.	*Histiœa falerina*, ♂.	Suppl. I.	p. 203.	Peru.
2.	*Macrocneme aurifera*, ♀.	„	p. 204.	Peru.
3.	„ *cœrulescens*, ♂.	„	p. 204.	Brazil.
4.	„ *guyanensis*, ♂.	„	p. 205.	Br. Guiana.
5.	„ *semiviridis*, ♀.	„	p. 205.	Ecuador.
6.	„ *viridifusa*, ♀.	„	p. 206.	S. Brazil.
7.	„ *hampsoni*, ♂.	„	p. 206.	S. Brazil.
8.	„ *sura*, ♂.	„	p. 206.	S. Brazil.
9.	„ *maroniensis*, ♂.	„	p. 207.	Fr. Guiana.
10.	„ *lamprosoma*, ♂.	„	p. 208.	Panama.
11.	„ *nordina*, ♀.	„	p. 208.	Mexico.
12.	„ *cyanescens*, ♂.	„	p. 209.	Colombia.
13.	„ *nigricornis*, ♂.	„	p. 209.	Argentina.
14.	*Phaio acquiguttata*, ♀.	„	p. 209.	Colombia.
15.	„ *geminiguttata*, ♀.	„	p. 210.	Colombia.
16.	„ *quadriguttata*, ♂.	„	p. 210.	Ecuador.
17.	„ *longipennis*, ♂.	„	p. 211.	Cuba.
18.	„ *cœruleonigra*, ♂.	„	p. 211.	Peru.
19.	*Chrysocale corax*, ♀.	„	p. 212.	Peru.
20.	*Calonotos triplaga*, ♂.	„	p. 213.	Brazil.
21.	„ *verdivittata*, ♀.	„	p. 213.	Venezuela.
22.	„ *chlorota*, ♂.	„	p. 215.	Colombia.
23.	„ *plumulata*, ♂.	„	p. 216.	Venezuela.
24.	*Mesolasia pyroproctis*, ♀.	„	p. 217.	Peru.
25.	„ *analis*, ♀.	„	p. 217.	Peru.
26.	*Trichura fulvicaudata*, ♂.	„	p. 218.	Paraguay.
27.	*Pezaptera chapmani*, ♂.	„	p. 219.	Venezuela.
28.	*Æthria sanctula*, ♀.	„	p. 220.	Brazil.
29.	„ *aner*, ♂.	„	p. 221.	Venezuela.
30.	*Argyroeides quindinensis*, ♂.	„	p. 223.	Colombia.
31.	„ *auranticincta*, ♂.	„	p. 223.	Venezuela.
32.	„ *notha*, ♂.	„	p. 224.	Costa Rica.

PLATE XII.

1.	*Argyroeides flavicincta*, ♂.	Suppl. I.	p. 224.	Venezuela.
2.	„ *spectrum*, ♀.	„	p. 225.	Costa Rica.
3.	„ *vespina*, ♂.	„	p. 226.	S. Brazil.
4.	„ *nephelophora*, ♀.	„	p. 226.	Paraguay.
5.	*Hypocladia restricta*, ♂.	„	p. 226.	Panama.
6.	„ *parcipuncta*, ♂.	„	p. 227.	Br. Guiana.
7.	„ *elongata*, ♂.	„	p. 227.	Venezuela.
8.	„ *calita*, ♂.	„	p. 227.	Colombia.
9.	*Hyalomis espia*, ♂.	„	p. 228.	Ecuador.
10.	*Diptilon flavipalpis*, ♂.	„	p. 228.	Argentina.
11.	„ *proleuca*, ♂.	„	p. 229.	Venezuela.
12.	„ *crassa*, ♂.	„	p. 229.	Colombia.
13.	„ *sylpha*, ♂.	„	p. 230.	Ecuador.
14.	„ *gladia*, ♂.	„	p. 231.	S. Brazil.
15.	*Syntrichura melæna*, ♀.	„	p. 232.	Peru.
16.	*Eumenogaster affinis*, ♂.	„	p. 233.	Venezuela.
17.	„ *nigricauda*, ♂.	„	p. 233.	Fr. Guiana.
18.	„ *baura*, ♂.	„	p. 234.	S. Brazil.
19.	*Urolasia albipuncta*, ♂.	„	p. 234.	Venezuela.
20.	*Metastatia azurea*, ♀.	„	p. 235.	Ecuador.
21.	*Chrysostola discoplaga*, ♀.	„	p. 235.	Venezuela.
22.	„ *mellita*, ♂.	„	p. 235.	Costa Rica.
23.	„ *caurensis*, ♀.	„	p. 236.	Venezuela.
24.	„ *varieyata*, ♂.	„	p. 236.	Brazil.
25.	„ *atridorsata*, ♂.	„	p. 237.	Br. Guiana.
26.	„ *nivaca*, ♂.	„	p. 237.	S. Brazil.
27.	*Ecdemus obscurata*, ♂.	„	p. 238.	Costa Rica.
28.	„ *fuliginosa*, ♀.	„	p. 238.	Peru.
29.	*Cercopimorpha postflavida*, ♀.	„	p. 238.	Venezuela.
30.	„ *dolens*, ♂.	„	p. 239.	Venezuela.
31.	*Episcepsis capysca*, ♀.	„	p. 240.	Costa Rica.
32.	„ *capyscoides*, ♀.	„	p. 240.	Fr. Guiana.

PLATE XIII.

1.	*Episcepsis gnomoides*, ♂.	Suppl. I.	p. 242.	Costa Rica.
2.	„ *phlebitis*, ♂.	„	p. 242.	Br. Honduras.
3.	„ *frances*, ♂.	„	p. 243.	Mexico.
4.	„ *vinasia*, ♂.	„	p. 243.	Costa Rica.
5.	„ *sixola*, ♂.	„	p. 244.	Costa Rica.
6.	*Androcharta clagesi*, ♂.	„	p. 244.	Venezuela.
7.	„ *hoffmannsi*, ♂.	„	p. 245.	Amazons.
8.	*Eriphioides phæoptera*, ♂.	„	p. 246.	Colombia.
9.	*Ceramidia cyanopasta*, ♂.	„	p. 246.	Venezuela.
10.	„ *undervoodi*, ♀.	„	p. 247.	Costa Rica.
11.	„ *scintillocollaris*, ♂.	„	p. 247.	Nicaragua.
12.	„ *clagesi*, ♂.	„	p. 247.	Surinam.
13.	„ *bricenoi*, ♂.	„	p. 248.	Venezuela.
14.	„ *painei*, ♂.	„	p. 248.	Colombia.
15.	„ *simplex*, ♂.	„	p. 248.	Ecuador.
16.	„ *viridisaturata*, ♂.	„	p. 249.	? Brazil.
17.	„ *scotoptera*, ♀.	„	p. 249.	Venezuela.
18.	„ *chalco-viridis*, ♂.	„	p. 249.	Brazil.
19.	„ *albipunctata*, ♂.	„	p. 250.	Ecuador.
20.	„ *phaiodes*, ♂.	„	p. 250.	Colombia.
21.	„ *viridis*, ♂.	„	p. 250.	Ecuador.
22.	„ *cuprea*, ♂.	„	p. 251.	Mexico.
23.	„ *chloroplegia*, ♂.	„	p. 251.	Venezuela.
24.	„ *affinis*, ♂.	„	p. 251.	Amazons.
25.	„ *intensa*, ♂.	„	p. 252.	Surinam.
26.	„ *atrinervis*, ♂.	„	p. 252.	Amazons.
27.	„ *steinbachi*, ♂.	„	p. 252.	Bolivia.
28.	*Amycles affinis*, ♂.	„	p. 253.	Venezuela.
29.	„ *tenebrosa*, ♂.	„	p. 253.	Venezuela.
30.	„ *brincleyi*, ♀.	„	p. 254.	Colombia.
31.	*Empyreuma affinis*, ♂.	„	p. 267.	Cuba.
32.	*Ichoria chrostomides*, ♂.	„	p. 174.	Fr. Guiana.

Horace Knight del et lith. West, Newman chr

PLATE XIV.

1.	*Antichloris puriscal*, ♂.	Suppl. I.	p. 254.	Costa Rica.
2.	„ *purpurea*, ♂.	„	p. 254.	Ecuador.
3.	*Methysia melanota*, ♂.	„	p. 256.	Br. Guiana.
4.	*Pseudaclytia pseudodelphyre*, ♂.		p. 258.	Venezuela.
5.	„ *minor*, ♂.	„	p. 257.	Fr. Guiana.
6.	„ *major*, ♂.	„	p. 258.	Peru.
7.	„ *unimacula*, ♀.	„	p. 258.	Fr. Guiana.
8.	*Napata atricincta*, ♂.	„	p. 258.	Brazil.
9.	„ *flammans*, ♂.	„	p. 259.	Colombia.
10.	„ *occendeni*, ♂.	„	p. 259.	Peru.
11.	„ *bipunctata*, ♀.	„	p. 260.	Peru.
12.	„ *nigrorufa*, ♂.	„	p. 260.	Peru.
13.	„ *hyporhoda*, ♂.	„	p. 260.	Colombia.
14.	„ *alterata*, ♂.	„	p. 261.	Amazons.
15.	„ *cordigera*, ♀.	„	p. 261.	Venezuela.
16.	„ *subflavescens*, ♂.	„	p. 261.	Br. Guiana.
17.	„ *metamela*, ♂.	„	p. 262.	Fr. Guiana.
18.	„ *euchloa*, ♂.	„	p. 262.	Jamaica.
19.	„ *superba*, ♂.	„	p. 262.	Peru.
20.	„ *pseudolelex*, ♀.	„	p. 263.	Ecuador.
21.	„ *atalanta*, ♂.	„	p. 263.	Amazons.
22.	„ *albipuncta*, ♀.	„	p. 264.	Peru.
23.	„ *albimaculata*, ♀.	„	p. 264.	Panama.
24.	„ *sanguicincta*, ♀.	„	p. 264.	Peru.
25.	„ *flaviceps*, ♀.	„	p. 265.	Panama.
26.	„ *cortes*, ♂.	„	p. 265.	Br. Honduras.
27.	*Lymire fulvicollis*, ♂.	„	p. 266.	Fr. Guiana.
28.	*Loxozona nitens*, ♂.	„	p. 266.	Venezuela.
29.	*Horama flavata*, ♂.	„	p. 266.	S. Brazil.
30.	„ *castrensis*, ♂.	„	p. 267.	S. Brazil.
31.	*Pseudosphenoptera nephelophora*, ♂.		p. 268.	S. Brazil.
32.	„ *chimæra*, ♂.	„	p. 269.	Peru.

PLATE XV.

1.	*Ixylasia pyroproctis*, ♂.	Suppl. I.	p. 269.	Venezuela.
2.	*Cacostatia ossa*, ♂.	,,	p. 270.	Colombia.
3.	,, *flaviventralis*, ♂.	,,	p. 270.	Colombia.
4.	,, *buchvaldi*, ♂.	,,	p. 270.	Ecuador.
5.	,, *acutipennis*, ♀.	,,	p. 271.	Colombia.
6.	*Schasiura gymnelioides*, ♂.	,,	p. 271.	S. America.
7.	*Eupyra distincta*, ♀.	,,	p. 272.	Venezuela.
8.	*Tipulodes rubriceps*, ♂.	,,	p. 272.	Colombia.
9.	*Callopepla grandis*, ♀.	,,	p. 273.	Brazil.
10.	*Cyanopepla beata*, ♂.	,,	p. 273.	Panama.
11.	,, *baroni*, ♂.	,,	p. 273.	Ecuador.
12.	,, *samarca*, ♂.	,,	p. 274.	Bolivia.
13.	,, *hyaloptera*, ♀.	,,	p 274.	Colombia.
14.	,, *perspicua*, ♂.	,,	p. 275.	Bolivia.
15.	,, *girardi*, ♂.	,,	p. 275.	Colombia.
16.	,, *dognini*, ♂.	,,	p. 275.	Paraguay.
17.	*Desmotricha metapolia*, ♂.	,,	p. 276.	Colombia.
18.	,, *clagesi*, ♂.	,,	p. 276.	Amazons.
19.	,, *perplexa*, ♂.	,,	p. 277.	Amazons.
20.	,, *hoffmannsi*, ♂.	,,	p. 277.	Peru.
21.	,, *trita*, ♂.	,,	p. 277.	Ecuador.
22.	,, *occola*, ♂.	,,	p. 278.	Costa Rica.
23.	,, *parva*, ♂.	,,	p. 278.	Venezuela.
24.	,, *albicincta*, ♂.	,,	p. 278.	Venezuela.
25.	,, *aurimacula*, ♂.	,,	p. 279.	Venezuela.
26.	*Coreura cerealia*, ♂.	,,	p. 279.	Ecuador.
27.	,, ,, ♀.	,,	p. 279.	Ecuador.
28.	,, *engelcei*, ♂.	,,	p. 279.	Colombia.
29.	*Aclytia albistriga*, ♀.	,,	p. 281.	Costa Rica.
30.	,, *pydna*, ♂.	,,	p. 281.	Ecuador.
31.	,, *jonesi*, ♂.	,,	p. 281.	S. Brazil.
32.	,, *hoffmannsi*, ♂.	,,	p. 282.	Peru.

PLATE XVI.

1.	*Aclytia mictochroa*, ♀.	Suppl. I.	p. 282.	S. Brazil.
2.	„ *flavicaput*, ♂.	„	p. 283.	Cuba.
3.	„ *clagesi*, ♂.	„	p. 283.	Venezuela.
4.	„ *cæruleonitens*, ♂.	„	p. 283.	Bolivia.
5.	„ *reducta*, ♂.	„	p. 284.	Venezuela.
6.	*Euagra delectans*, ♂.	„	p. 285.	Costa Rica.
7.	„ *clagesi*, ♂.	„	p. 286.	Surinam.
8.	*Mevania basalis*, ♂.	„	p. 287.	Colombia.
9.	„ *quadricolor*, ♀.	„	p. 287.	Venezuela.
10.	„ *albofasciata*, ♀.	„	p. 287.	Peru.
11.	*Agyrta vitrea*, ♀.	„	p. 288.	Costa Rica.
12.	„ *garleppi*, ♂.	„	p. 288.	Bolivia.
13.	„ *bifasciata*, ♀.	„	p. 289.	Br. Guiana.
14.	„ *varuna*, ♂.	„	p. 289.	Peru.
15.	„ *conspicua*, ♂.	„	p. 290.	Costa Rica.
16.	„ *pulchriformis*, ♂.	„	p. 290.	Peru.
17.	„ *clagesi*, ♂.	„	p. 290.	Venezuela.
18.	„ *mathani*, ♀.	„	p. 291.	Colombia.
19.	*Phara sanguipalpis*, ♀.	„	p. 291.	Peru.
20.	*Ptychotrichos elongata*, ♂.	„	p. 291.	S. Brazil.
21.	*Delphyre hebes*, ♂.	„	p. 292.	Venezuela.
22.	„ *germana*, ♂.	„	p. 293.	Surinam.
23.	„ *meridionalis*, ♂.	„	p. 294.	Surinam.
24.	„ *rhodocrypta*, ♂.	„	p. 294.	Venezuela.
25.	„ *roseiceps*, ♀.	„	p. 295.	Fr. Guiana.
26.	„ *minuta*, ♂.	„	p. 295.	Br. Guiana.
27.	„ *boliviana*, ♂.	„	p. 295.	Bolivia.
28.	„ *pyrozona*, ♂.	„	p. 295.	Venezuela.
29.	„ *arpi*, ♀	„	p. 296.	S. Brazil.
30.	„ *parcipuncta*, ♂.	„	p. 296.	Amazons.
31.	„ *pieroides*, ♀.	„	p. 297.	Amazons.
32.	„ *distincta*, ♂.	„	p. 297.	Amazons.

Horace Knight del. et lith. West, Newm

PLATE XVII.

1.	*Delphyre lemoulti*, ♀.	Suppl. I.	p. 298.	Fr. Guiana.
2.	,, *borealis*, ♂.	,,	p. 298.	Venezuela.
3.	,, *pumila*, ♂.	,,	p. 299.	Amazons.
4.	,, *bœttgeri*, ♂.	,,	p. 299.	Peru.
5.	,, *tetilla*, ♂.	,,	p. 299.	Ecuador.
6.	,, *aclytioides*, ♀.	,,	p. 300.	Fr. Guiana.
7.	,, *varians*, ♀.	,,	p. 300.	Amazons.
8.	,, *subapicalis*, ♂.	,,	p. 300.	S. Brazil.
9.	,, *pyroperas*, ♂.	,,	p. 300.	Paraguay.
10.	,, *hampsoni*, ♂.	,,	p. 301.	Colombia.
11.	,, *discalis*, ♂.	,,	p. 301.	Venezuela.
12.	,, *flaviventralis*, ♀.	,,	p. 302.	Venezuela.
13.	,, *flaviceps*, ♂.	,,	p. 302.	Venezuela.
14.	,, *nigra*, ♂.	,,	p. 302.	Panama.
15.	*Heliura assimilis*, ♂.	,,	p. 304.	Peru.
16.	,, *flavopunctata*, ♂.	,,	p. 305.	Colombia.
17.	,, *baleris*, ♂.	,,	p. 305.	Mexico.
18.	,, *phæosoma*, ♂.	,,	p. 306.	Venezuela.
19.	,, *suffusa*, ♂.	,,	p. 306.	Br. Guiana.
20.	,, *fumata*, ♂.	,,	p. 307.	Ecuador.
21.	,, *umbrimacula*, ♂.	,,	p. 307.	Fr. Guiana.
22.	,, *fulvipicta*, ♂.	,,	p. 307.	Br. Guiana.
23.	,, *elongata*, ♂.	,,	p. 308.	Venezuela.
24.	,, *zonata*, ♂.	,,	p. 308.	Venezuela.
25.	,, *baliodes*, ♀.	,,	p. 308.	Fr. Guiana.
26.	,, *cennedyi*, ♀.	,,	p. 309.	S. Brazil.
27.	,, *thysbodes*, ♂.	,,	p. 309.	Colombia.
28.	,, *occendeni*, ♂.	,,	p. 310.	Peru.
29.	,, *postcœrulea*, ♂.	,,	p. 311.	Amazons.
30.	,, *amazonica*, ♂.	,,	p. 311.	Amazons.
31.	,, *stolli*, ♂.	,,	p. 312.	Amazons.
32.	,, *semihyalina*, ♂.	,,	p. 312.	Amazons.

Horace Knight del et lith.

West, Newman imp

PLATE XVIII.

1.	*Heliura emerentia*, ♂.	Suppl. I.	p. 313.	Ecuador.
2.	„ *viridicingulata*, ♂.	„	p. 313.	Peru.
3.	„ *perexcavata*, ♂.	„	p. 314.	Amazons.
4.	*Eucereon albitorna*, ♂.	„	p. 315.	Colombia.
5.	„ *sadana*, ♂.	„	p. 317.	Peru.
6.	„ *cæruleocephala*, ♂.	„	p. 317.	Peru.
7.	„ *rufipes*, ♀.	„	p. 318.	Peru.
8.	„ *rosenbergi*, ♂.	„	p. 318.	Ecuador.
9.	„ *rufidorsalis*, ♂.	„	p. 319.	Ecuador.
10.	„ *zamoræ*, ♀.	„	p. 320.	Guatemala.
11.	„ *fosteri*, ♀.	„	p. 320.	Paraguay.
12.	„ *dorsipuncta*, ♀.	„	p. 320.	Paraguay.
13.	„ *buchvaldi*, ♀.	„	p. 321.	Ecuador.
14.	„ *atrigutta*, ♂.	„	p. 321.	Venezuela.
15.	„ *capsica*, ♂.	„	p. 322.	S. Brazil.
16.	„ *formosa*, ♂.	„	p. 322.	Mexico.
17.	„ *marcata*, ♂.	„	p. 323.	Paraguay.
18.	„ *pyrozona*, ♂.	„	p. 324.	Venezuela.
19.	„ *cincta*, ♂.	„	p. 324.	Venezuela.
20.	„ *rubroanalis*, ♂.	„	p. 325.	Venezuela.
21.	„ *tessellata*, ♂.	„	p. 326.	Costa Rica.
22.	„ *antonia*, ♂.	„	p. 327.	Peru.
23.	„ *hampsoni*, ♂.	„	p. 327.	Bolivia.
24.	„ *leprota*, ♂.	„	p. 328.	Venezuela.
25.	„ *steinbachi*, ♀.	„	p. 328.	Bolivia.
26.	„ *dentata*, ♂.	„	p. 329.	Mexico.
27.	„ *obliquifascia*, ♀.	„	p. 329.	Trinidad.
28.	„ *cimonis*, ♂.	„	p. 330.	Costa Rica
29.	„ *flemmingi*, ♂.	„	p. 330.	Ecuador.
30.	„ *pallada*, ♂.	„	p. 331.	S. Brazil.
31.	„ *patula*, ♂.	„	p. 332.	Peru.
32.	„ *conspicua*, ♂.	„	p. 333.	Ecuador.

Horace Knight del. et lith

West, Newman chr

PLATE XIX.

1.	*Eucereon servator*, ♀.	Suppl. I.	p. 333.	Venezuela.
2.	,, *surcata*, ♀.	,,	p. 334.	Ecuador.
3.	,, *decora*, ♂.	,,	p. 334.	Costa Rica.
4.	,, *bricenoi*, ♂.	,,	p. 335.	Venezuela.
5.	,, *griseata*, ♀.	,,	p. 335.	Peru.
6.	,, *albidia*, ♂.	,,	p. 336.	Amazons.
7.	,, *xanthura*, ♀.	,,	p. 337.	Costa Rica.
8.	,, *tessellata*, ♂.	,,	p. 337.	Venezuela.
9.	,, *atrata*, ♂.	,,	p. 338.	Venezuela.
10.	,, *perstriata*, ♂.	,,	p. 339.	Peru.
11.	,, *picoides*, ♂.	,,	p. 339.	Colombia.
12.	,, *consorta*, ♀.	,,	p. 340.	Costa Rica.
13.	,, *occendeni*, ♂.	,,	p. 340.	Peru.
14.	,, *tigrisoma*, ♀.	,,	p. 341.	Brazil.
15.	,, *relegata*, ♂.	,,	p. 342.	Costa Rica.
16.	,, *moeschleri*, ♂.	,,	p. 342.	Jamaica.
17.	,, *amazona*, ♂.	,,	p. 343.	Amazons.
18.	,, *carolina*, ♂.	,,	p. 344.	Cuba.
19.	,, *ochrota*, ♂.	,,	p. 344.	Jamaica.
20.	,, *inconspicua*, ♀.	,,	p. 345.	Br. Guiana.
21.	,, *lerioides*, ♀.	,,	p. 345.	Mexico.
22.	,, *parambæ*, ♂.	,,	p. 346.	Ecuador.
23.	,, *buchvaldi*, ♂.	,,	p. 346.	Ecuador.
24.	,, *hoffmannsi*, ♂.	,,	p. 347.	Amazons.
25.	,, *zephyrus*, ♂.	,,	p. 347.	Costa Rica.
26.	,, *pagina*, ♂.	,,	p. 348.	Peru.
27.	,, *mathani*, ♂.	,,	p. 348.	Ecuador.
28.	,, *ino*, ♂.	,,	p. 349.	Colombia.
29.	,, *pseudocasca*, ♂.	,,	p. 349.	Peru.
30.	,, *tenellula*, ♀.	,,	p. 350.	Costa Rica
31.	,, *flavicincta*, ♀.	,,	p. 350.	Peru.
32.	,, *ignota*, ♀.	,,	p. 351.	Peru.

PLATE XX.

1.	*Eucereon albinota*, ♀.	Suppl. I.	p. 351.	Colombia.
2.	,, *fuscobrunnea*, ♂.	,,	p. 352.	Ecuador.
3.	,, *intranotata*, ♀.	,,	p. 352.	Ecuador.
4.	,, *venosa*, ♀.	,,	p. 352.	Costa Rica.
5.	,, *brunnea*, ♂.	,,	p. 353.	Argentina.
6.	,, *bichelli*, ♀.	,,	p. 353.	Colombia.
7.	,, *fuscoirrorata*, ♂.	,,	p. 353.	Venezuela.
8.	,, *irrorata*, ♂.	,,	p. 353.	Cuba.
9.	,, *strix*, ♂.	,,	p. 354.	Colombia.
10.	,, *resina*, ♀.	,,	p. 354.	Colombia.
11.	,, *chlorænoma*, ♂.	,,	p. 355.	Peru.
12.	,, *zizana*, ♂.	,,	p. 355.	Colombia.
13.	,, *cæruleocaput*, ♀.	,,	p. 356.	Peru.
14.	,, *nervula*, ♀.	,,	p. 356.	Ecuador.
15.	,, *sordidescens*, ♂.	,,	p. 357.	Venezuela.
16.	,, *nubilosa*, ♀.	,,	p. 357.	Peru.
17.	,, *meruloides*, ♂.	,,	p. 358.	Peru.
18.	,, *apicalis*, ♀.	,,	p. 358.	S. Brazil.
19.	,, *vestalis*, ♂.	,,	p. 358.	Peru.
20.	*Correbia obscura*, ♂.	,,	p. 359.	Fr. Guiana.
21.	,, *minima*, ♂.	,,	p. 360.	Venezuela.
22.	,, *felderi*, ♂.	,,	p. 360.	Amazons.
23.	,, *elongata*, ♂.	,,	p. 360.	S. Brazil.
24.	,, *bricenoi*, ♀.	,,	p. 361.	Venezuela.
25.	,, *semitransversa*, ♂.	,,	p. 361.	Costa Rica.
26.	,, *rufescens*, ♂.	,,	p. 362.	Venezuela.
27.	,, *meridionalis*, ♀.	,,	p. 362.	Ecuador.
28.	,, *flavata*, ♂.	,,	p. 362.	Colombia.
29.	,, *fulvescens*, ♂.	,,	p. 363.	Panama.
30.	*Correbidia fana*, ♂.	,,	p. 363.	Venezuela.
31.	,, *assimilis*, ♀.	,,	p. 363.	Venezuela.
32.	,, *similis*, ♂.	,,	p. 364.	Br. Guiana.

Horace Knight del et lith

PLATE XXI.

1.	*Correbidia germana*, ♂.	Suppl. I.	p. 364.	Panama.
2.	„ *simonsi*, ♂.	„	p. 365.	Bolivia.
3.	„ *steinbachi*, ♂.	„	p. 365.	Bolivia.
4.	„ *apicalis*, ♂.	„	p. 366.	Cuba.
5.	„ *costinotata*, ♀.	„	p. 366.	Costa Rica.
6.	„ *bicolor*, ♂.	„	p. 366.	Cuba.
7.	*Scepsis subhyalina*, ♂.	„	p. 367.	Bolivia.
8.	*Propyria normani*, ♀.	„	p. 369.	Costa Rica.
9.	*Lycomorpha drucei*, ♀.	„	p. 369.	Mexico.
10.	*Ctenucha schausi*, ♀.	„	p. 369.	Mexico.
11.	„ *refulgens*, ♂.	„	p. 370.	Ecuador.
12.	„ *biformis*, ♂.	„	p. 371.	Peru.
13.	„ *garleppi*, ♂.	„	p. 371.	Peru.
14.	„ *popayana*, ♂.	„	p. 372.	Colombia.
15.	„ *albipars*, ♂.	„	p. 372.	Bolivia.
16.	„ *mennisata*, ♂.	„	p. 372.	Bolivia.
17.	„ *mortia*, ♂.	„	p. 373.	Brazil.
18.	„ *andrei*, ♂.	„	p. 374.	Br. Guiana.
19.	„ *jonesi*, ♀.	„	p. 374.	S. Peru.
20.	„ *reimoseri*, ♀.	„	p. 374.	Paraguay.
21.	„ *fosteri*, ♂.	„	p. 374.	Paraguay.
22.	„ *tucumana*, ♂.	„	p. 375.	Argentina.
23.	„ *rubrovenata*, ♂.	„	p. 375.	Bolivia.
24.	„ *reducta*, ♂.	„	p. 376.	Peru.
25.	„ *projecta*, ♂.	„	p. 376.	Peru.
26.	*Dahana cubana*, ♂.	„	p. 377.	Cuba.
27.	*Epectaptera miniata*, ♂.	„	p. 377.	Peru.
28.	„ *discalis*, ♂.	„	p. 377.	Peru.
29.	„ *metochria*, ♂.	„	p. 378.	Colombia.
30.	„ *umbrescens*, ♂.	„	p. 378.	Peru.
31.	„ *innotata*, ♀.	„	p. 378.	Ecuador.
32.	*Ceramidia metallica*, ♂.	„	p. 385.	Ecuador.

Knight del et lit

PLATE XXII.

1.	*Philoros nora*, ♂.	Suppl. I.	p. 378.	Peru.
2.	„ *affinis*, ♂.	„	p. 379.	Uruguay.
3.	*Hyaleucerea phœosoma*, ♂.	„	p. 379.	Paraguay.
4.	„ *costinotata*, ♀.	„	p. 380.	S. Brazil.
5.	„ *sororia*, ♂.	„	p. 381.	Costa Rica.
6.	„ *uniformis*, ♂.	„	p. 381.	S. Brazil.
7.	„ *lugubris*, ♂.	„	p. 381.	Colombia.
8.	*Hyaleucerea mundula*, ♀.	„	p. 381.	S. Brazil.
9.	*Pisara thyrophora*, ♂.	„	p. 390.	Formosa.
10.	*Celama flaviciliata*, ♂.	„	p. 391.	S. Leone.
11.	„ *ochrolopha*, ♀.	„	p. 391.	Sikhim.
12.	„ *mesoscia*, ♀.	„	p. 392.	Egypt.
13.	„ *argyropasta*, ♀.	„	p. 392.	Gold Coast.
14.	„ *niphostena*, ♂.	„	p. 393.	Natal.
15.	„ *mesotherma*, ♀.	„	p. 393.	Ceylon.
16.	„ *rufimixta*, ♂.	„	p. 394.	Ceylon.
17.	„ *diplogramma*, ♀.	„	p. 394.	N. Guinea.
18.	„ *carilla*, ♂.	„	p. 395.	Costa Rica.
19.	„ *grisescens*, ♀.	„	p. 395.	N. Guiana.
20.	„ *aroa*, ♂.	„	p. 395.	N. Guinea.
21.	„ *leucoscopula*, ♂.	„	p. 396.	Ceylon.
22.	„ *melanoscelis*, ♂.	„	p. 396.	Gold Coast.
23.	„ *samoana*, ♀.	„	p. 397.	Samoa.
24.	„ *dentilinea*, ♀.	„	p. 397.	Ceylon.
25.	„ *omphalota*, ♂.	„	p. 397.	S. Nigeria.
26.	„ *euphœa*, ♂.	„	p. 398.	W. China.
27.	*Hyaleucerea leucoprocta*, ♂.	„	p. 382.	Fr. Guiana.
28.	„ *morosa*, ♂.	„	p. 382.	Costa Rica.
29.	„ *lemoutli*, ♂.	„	p. 382.	Surinam.
30.	*Trichura fumida*, ♀.	„	p. 385.	Trinidad.
31.	*Sarosa ignicornis*, ♂.	„	p. 384.	Peru.
32.	*Episcepsis grisescens*, ♀.	„	p. 385.	Venezuela.
33.	*Chlorostola megathyris*, ♂.	„	p. 385.	Venezuela.
34.	*Eucereon parascyton*, ♂.	„	p. 386.	Peru.
35.	*Amata fouqueti*, ♂.	„	p. 383.	Cochin China.

PLATE XXIII.

1.	*Celama furvitincta*, ♂.	Suppl. I.	p. 398.	S. Leone.
2.	,, *mesonephele*, ♂.	,,	p. 398.	Gold Coast.
3.	,, *megasema*, ♀.	,,	p. 399.	Gold Coast.
4.	,, *chionœcesis*, ♀.	,,	p. 399.	N. Guinea.
5.	,, *acutula*, ♂.	,,	p. 400.	Mongolia.
6.	,, *semirufa*, ♂.	,,	p. 400.	Colombia.
7.	,, *dimera*, ♀.	,,	p. 400.	Fr. Guiana.
8.	,, *nephodes*, ♂.	,,	p. 401.	Formosa.
9.	,, *microphila*, ♂.	,,	p. 402.	Queensland.
10.	,, *crambiformis*, ♀.	,,	p. 403.	Russia.
11.	,, *socotrensis*, ♂.	,,	p. 403.	Sokotra.
12.	,, *fraterna*, ♂.	,,	p. 403.	Punjab.
13.	,, *cretacea*, ♀.	,,	p. 404.	Bombay.
14.	,, *melaleuca*, ♀.	,,	p. 404.	Br. E. Africa.
15.	,, *tigranula*, ♀.	,,	p. 404.	Armenia.
16.	,, *phœocraspis*, ♂.	,,	p. 405.	S. Nigeria.
17.	,, *albirufa*, ♂.	,,	p. 405.	Fr. Guiana.
18.	*Nola ochrographa*, ♂.	,,	p. 407.	Uganda.
19.	,, *mesoscota*, ♀.	,,	p. 407.	Transvaal.
20.	,, *perfusca*, ♂.	,,	p. 408.	S. Nigeria.
21.	,, *maia*, ♂.	,,	p. 408.	Costa Rica.
22.	,, *mesotherma*, ♀.	,,	p. 409.	Gold Coast.
23.	,, *angola*, ♀.	,,	p. 409.	Angola.
24.	,, *chionea*, ♂.	,,	p. 409.	S. Nigeria.
25.	,, *mesocyma*, ♂.	,,	p. 410.	Fr. Guiana.
26.	,, *chia*, ♀.	,,	p. 411.	Congo.
27.	,, *albifurca*, ♀.	,,	p. 411.	Philippines.
28.	,, *sabulosa*, ♀.	,,	p. 411.	Costa Rica.
29.	,, *transecta*, ♂.	,,	p. 412.	Sierra Leone.
30.	,, *mesographa*, ♀.	,,	p. 412.	Fr. Guiana.
31.	,, *triplaga*, ♂.	,,	p. 412.	Panama.
32.	,, *biconica*, ♀.	,,	p. 413.	S. Brazil.
33.	,, *sperata*, ♀.	,,	p. 413.	Costa Rica.
34.	,, *artata*, ♀.	,,	p. 414.	Costa Rica.
35.	,, *biumbrata*, ♀.	,,	p. 414.	Costa Rica.
36.	,, *argyrolepis*, ♀.	,,	p. 414.	Mashonaland.

Horace Knight del et lith

PLATE XXIV.

1.	*Nola bicincta*, ♂.	Suppl. I.	p. 415.	Cape Colony.
2.	„ *poliotis*, ♀.	„	p. 416.	Transvaal.
3.	„ *achromia*, ♂.	„	p. 416.	Queensland.
4.	„ *diplozona*, ♂.	„	p. 416.	Br. E. Africa.
5.	„ *leucalea*, ♀.	„	p. 417.	Transvaal.
6.	„ *cretacea*, ♀.	„	p. 417.	N. Nigeria.
7.	„ *promelæna*, ♂.	„	p. 417.	Formosa.
8.	„ *pulchella*, ♀.	„	p. 418.	Japan.
9.	„ *zaplethes*, ♀.	„	p. 418.	Queensland.
10.	„ *lechriopa*, ♂.	„	p. 418.	Queensland.
11.	„ *phlœophila*, ♀.	„	p. 419.	Queensland.
12.	„ *albescens*, ♂.	„	p. 419.	N. Guinea.
13.	„ *diagona*, ♀.	„	p. 420.	N. Guinea.
14.	„ *obliqua*, ♂.	„	p. 420.	N. Guinea.
15.	„ *belotypa*, ♀.	„	p. 421.	Queensland.
16.	„ *eugrapha*, ♂.	„	p. 421.	N. Guinea.
17.	*Pœcilonola chionobasis*, ♂.	„	p. 421.	Punjab.
18.	„ *ochritincta*, ♂.	„	p. 422.	Ceylon.
19.	*Rœselia placens*, ♂.	„	p. 424.	Costa Rica.
20.	„ *polyodonta*, ♂.	„	p. 425.	Fr. Guiana.
21.	„ *unilinea*, ♂.	„	p. 425.	Costa Rica.
22.	„ *xanthoplaga*, ♀.	„	p. 426.	Sikhim.
23.	„ *mesotherma*, ♂.	„	p. 427.	C. China.
24.	„ *niveicosta*, ♂.	„	p. 427.	Brazil.
25.	„ *versicolora*, ♂.	„	p. 428.	Peru.
26.	„ *hemizona*, ♂.	„	p. 428.	New Guinea.
27.	„ *infuscata*, ♂.	„	p. 429.	Mashonaland.
28.	„ *irregularis*, ♂.	„	p. 429.	N. Guinea.
29.	„ *pedanta*, ♀.	„	p. 430.	Costa Rica.
30.	„ *recurvata*, ♀.	„	p. 430.	Colombia.
31.	„ *melanosticta*, ♂.	„	p. 431.	E. Africa.
32.	„ *cretacea*, ♀.	„	p. 431.	Gold Coast.
33.	„ *divisoides*, ♂.	„	p. 432.	Brazil.
34.	„ *stictigramma*, ♂.	„	p. 432.	Colombia.
35.	„ *nepheloleuca*, ♂.	„	p. 433.	Peru.
36.	„ *pulverea*, ♀.	„	p. 433.	Colombia.

Horace Knight, del. et lith. West, Newman chr.

PLATE XXV.

1.	*Rœselia decepta*, ♂.	Suppl. I.	p. 434.	Costa Rica.
2.	„ *negrita*, ♀.	„	p. 436.	Ceylon.
3.	„ *pallidiceps*, ♂.	„	p. 437.	Ceylon.
4.	*Zia hemiphœa*, ♀.	„	p. 437.	Java.
5.	„ *ectrocta*, ♂.	„	p. 437.	Ceylon.
6.	„ *grisea*, ♀.	„	p. 437.	C. China.
7.	*Rœselia fuscomarginalis*, ♂.	„	p. 431.	Formosa.
8.	*Pelosia albicostata*, ♂.	„	p. 440.	Japan.
9.	*Graphosia approximans*, ♂.	„	p. 441.	N. Guinea.
10.	„ *lactea*, ♂.	„	p. 441.	N. Guinea.
11.	„ *quadrilineata*, ♂.	„	p. 444.	N. Guinea.
12.	„ *stenopepla*, ♀.	„	p. 444.	Queensland.
13.	*Lambula castanea*, ♂.	„	p. 444.	N. Guinea.
14.	„ *flavobrunnea*, ♂.	„	p. 445.	N. Guinea.
15.	„ *æthalocis*, ♂.	„	p. 446.	N. Guinea.
16.	„ *flavogrisea*, ♀.	„	p. 447.	N. Guinea.
17.	*Lambulodes sericeoides*, ♂.	„	p. 448.	N. Guinea.
18.	„ *bimaculata*, ♂.	„	p. 449.	N. Guinea.
19.	*Teratopora unifascia*, ♀.	„	p. 454.	N. Guinea.
20.	*Scoliacma apiciplaga*, ♂.	„	p. 460.	N. Guinea.
21.	„ *fuscofascia*, ♀.	„	p. 461.	N. Guinea.
22.	„ *xuthopis*, ♀.	„	p. 461.	W. Australia.
23.	„ *ligneofusca*, ♀.	„	p. 462.	N. Guinea.
24.	„ *fuscescens*, ♀.	„	p. 462.	N. Guinea.
25.	*Lepista arabica*, ♂.	„	p. 463.	Arabia.
26.	*Poliosia zatesima*, ♂.	„	p. 463.	Queensland.
27.	„ *albida*, ♀.	„	p. 463.	Gambia.
28.	*Chrysoscota albomaculata*, ♂.	„	p. 463.	N. Guinea.
29.	„ *lacteiplaga*, ♂.	„	p. 463.	N. Guinea.
30.	„ *conjuncta*, ♂.	„	p. 464.	N. Guinea.
31.	„ *flavostrigata*, ♀.	„	p. 464.	N. Guinea.
32.	„ *brunnea*, ♂.	„	p. 465.	Borneo.
33.	*Nishada melanistis*, ♂.	„	p. 465.	Borneo.
34.	„ *brunneipennis*, ♂.	„	p. 466.	Batian.
35.	*Tigrioides termineola*, ♀.	„	p. 467.	Gold Coast.
36.	*Macrosia chalybeata*, ♀.	„	p. 479.	Br. E. Africa.

Horace Knight del et lith.

West, Newman chr.

PLATE XXVI.

1.	*Tigrioides pyralina*, ♀.	Suppl. 1.	p. 468.	Sumbawa.
2.	„ *minima*, ♂.	„	p. 468.	N. Guinea.
3.	„ *grisescens*, ♀.	„	p. 468.	N. Guinea.
4.	„ *euscia*, ♀.	„	p. 468.	N. Guinea.
5.	*Phryganopsis unipuncta*, ♂.	„	p. 471.	Algeria.
6.	„ *celida*, ♂.	„	p. 473.	Angola.
7.	„ *albescens*, ♀.	„	p. 473.	Germ. E. Africa.
8.	„ *flavicosta*, ♀.	„	p. 473.	Sierra Leone.
9.	„ *curta*, ♂.	„	p. 473.	Angola.
10.	„ *straminea*, ♀.	„	p. 474.	Br. E. Africa.
11.	„ *squamosa*, ♂.	„	p. 474.	Angola.
12.	„ *interstiteola*, ♂	„	p. 474.	Transvaal.
13.	„ *ochreata*, ♀.	„	p. 474.	Br. C. Africa.
14.	„ *atrescens*, ♀.	„	p. 474.	Cape Colony.
15.	*Mithuna arizana*, ♂.	„	p. 475.	Formosa.
16.	*Progona luridipennis*, ♂.	„	p. 476.	Argentina.
17.	*Crambidia suffusa*, ♂.	„	p. 476.	California.
18.	„ *roberto*, ♂.	„	p. 476.	Mexico.
19.	„ *pura*, ♂.	„	p. 477.	Texas.
20.	„ *impura*, ♂.	„	p. 477.	Arizona.
21.	*Lophilema brunneitincta*, ♀.	„	p. 480.	Cape Colony.
22.	*Ilema melanosticta*, ♂.	„	p. 483.	Angola.
23.	„ *griseoflava*, ♂.	„	p. 484.	Philippines.
24.	„ *tricolor*, ♂.	„	p. 485.	Formosa.
25.	„ *aurantiotestacea*, ♂.	„	p. 485.	Amboina.
26.	„ *curviplaga*, ♀.	„	p. 485.	Perak.
27.	„ *violitincta*, ♂.	„	p. 486.	Sumbawa.
28.	„ *lutescens*, ♀.	„	p. 487.	Sula Besi.
29.	„ *chasiana*, ♂.	„	p. 487.	Assam.
30.	„ *arizana*, ♂.	„	p. 488.	Formosa.
31.	„ *punctilineata*, ♂.	„	p. 490.	Br. E. Africa.
32.	„ *bipartita*, ♀.	„	p. 490.	Germ. E. Africa
33.	„ *curvilinea*, ♀.	„	p. 491.	Madagascar.
34.	„ *stictigramma*, ♂.	„	p. 491.	Comoro Is.
35.	„ *peperita*, ♀.	„	p. 492.	Br. E. Africa.
36.	„ *rubrescens*, ♀.	„	p. 492.	Formosa.

Horace Knight del. et lith. West, Newman chr.

PLATE XXVII.

1.	*Ilema rufitincta*, ♀.	Suppl. I.	p. 493.	Uganda.
2.	,, *fuscicorpus*, ♂.	,,	p. 493.	Gold Coast.
3.	,, *melasonea*, ♀.	,,	p. 493.	Br. E. Africa.
4.	,, *nigrociliata*, ♀.	,,	p. 494.	Madagascar.
5.	,, *pentaspila*, ♀.	,,	p. 494.	Singapore.
6.	,, *jacobsi*, ♂.	,,	p. 495.	S. Nigeria.
7.	,, *diplisticta*, ♀.	,,	p. 495.	Angola.
8.	,, *mesosticta*, ♀.	,,	p. 495.	S. Nigeria.
9.	,, *distigmata*, ♀.	,,	p. 496.	S. Nigeria.
10.	,, *similipuncta*, ♀.	,,	p. 496.	Mashonaland.
11.	,, *costimacula*, ♀.	,,	p. 496.	Germ. E. Africa
12.	,, *creatoplaga*, ♂.	,,	p. 497.	Br. E. Africa.
13.	,, *testacea*, ♂.	,,	p. 498.	Solomons.
14.	,, *lamprocraspis*, ♂.	,,	p. 498.	Seychelles.
15.	,, *proleuca*, ♂.	,,	p. 499.	Gold Coast.
16.	,, *sanguicosta*, ♂.	,,	p. 499.	Br. E. Africa.
17.	,, *taivana*, ♂.	,,	p. 499.	Formosa.
18.	,, *phœocraspis*, ♀.	,,	p. 501.	Br. E. Africa.
19.	,, *debilis*, ♂.	,,	p. 501.	Siberia.
20.	,, *fuscifrons*, ♂.	,,	p. 501.	N. Guinea.
21.	,, *cretacea*, ♂.	,,	p. 501.	Sikhim.
22.	,, *pulverea*, ♂.	,,	p. 502.	Formosa.
23.	,, *leia*, ♂.	,,	p. 502.	Br. E. Africa.
24.	,, *conisphora*, ♀.	,,	p. 502.	Gold Coast.
25.	,, *callidescens*, ♂.	,,	p. 502.	Gold Coast.
26.	,, *aurantioflava*, ♀.	,,	p. 503.	Sumbawa.
27.	,, *testaceoflava*, ♂.	,,	p. 503.	N. Guinea.
28.	,, *atrifrons*, ♂.	,,	p. 504.	Nicobars.
29.	,, *muscula*, ♂.	,,	p. 504.	Syria.
30.	,, *aldabrensis*, ♂.	,,	p. 504.	Seychelles.
31.	,, *sericeoalba*, ♀.	,,	p. 504.	Persia.
32.	,, *sordidula*, ♂.	,,	p. 505.	Spain.
33.	,, *niveata*, ♀.	,,	p. 505.	N. Guinea.
34.	,, *minutissima*, ♂.	,,	p. 505.	Angola.
35.	*Calamidia castanea*, ♀.	,,	p. 506.	N. Guinea.
36.	,, *ougarra*, ♂.	,,	p. 506.	N. Guinea.

Horace Knight del.et lith. West, Newman chr.

PLATE XXVIII.

1. *Calamidia varringtonella*, ♂. Suppl. I. p. 506. N. Guinea.
2. „ *goliathina*, ♂. „ p. 507. N. Guinea.
3. *Monasyntaxis affinis*, ♀. „ p. 509. Malay Pen.
4. „ *holman-hunti*, ♂. „ p. 510. Selangor.
5. „ „ ♀. „ p. 510. Selangor.
6. *Chrysorabdia vilemani*, ♀. „ p. 510. Formosa.
7. *Œonistis lifuensis*, ♂. „ p. 512. Loyalty Is.
8. „ *bistrigata*, ♂. „ p. 512. N. Guinea.
9. *Disoidemata quadriplaga*, ♂. „ p. 514. Fr. Guiana.
10. *Macroptila extensa*, ♀. „ p. 517. Peru.
11. „ *fuscilaniata*, ♂. „ p. 517. Colombia.
12. *Agylla crassa*, ♂. „ p. 519. Colombia.
13. „ *fusciceps*, ♂. „ p. 520. Peru.
14. „ *fulvithorax*, ♂. „ p. 520. Colombia.
15. „ *subochrea*, ♂. „ p. 520. Colombia.
16. „ *bisecta*, ♀. „ p. 520. Borneo.
17. „ *virago*, ♀. „ p. 521. Formosa.
18. „ *megasema*, ♂. „ p. 523. Peru.
19. „ *pseudobisecta*, ♀. „ p. 526. Colombia.
20. „ *brunneostriata*, ♂. „ p. 526. Peru.
21. „ *asra*, ♂. „ p. 528. Costa Rica.
22. „ *hampsoni*, ♂. „ p. 530. Peru.
23. „ *poasia*, ♂. „ p. 531. Costa Rica.
24. „ *erigone*, ♂. „ p. 531. Costa Rica.
25. „ *nigritia*, ♂. „ p. 531. Colombia.
26. „ *subvoluta*, ♂. „ p. 532. Fr. Guiana.
27. „ *phæopasta*, ♂. „ p. 532. Peru.
28. „ *endocapnia*, ♂. „ p. 532. Peru.
29. „ *sanguivitta*, ♂. „ p. 533. Peru.
30. „ *ochritincta*, ♂. „ p. 533. Colombia.
31. „ *flavicornis*, ♂. „ p. 534. Peru.
32. „ *steniptera*, ♂. „ p. 534. Colombia.

Horace Knight del. et lith. West, Newman chr.

PLATE XXIX.

1.	*Agylla sordida*, ♂.	Suppl. I.	p. 534.	Colombia.
2.	„ *normalis*, ♂.	„	p. 535.	Colombia.
3.	„ *abrosa*, ♂.	„	p. 535.	Costa Rica.
4.	„ *sanctæ-johannis*, ♀.	„	p. 535.	Fr. Guiana.
5.	„ *virilis*, ♀.	„	p. 536.	Formosa.
6.	„ *alboluteola*, ♂.	„	p. 536.	Assam.
7.	„ *idolon*, ♂.	„	p. 536.	Mexico.
8.	„ *tecta*, ♂.	„	p. 536.	Formosa.
9.	„ *holochrea*, ♂.	„	p. 537.	W. China.
10.	„ *complanodes*, ♀.	„	p. 537.	Br. C. Africa.
11.	„ *brunneipennis*, ♂.	„	p. 537.	Colombia.
12.	*Areva albogrisea*, ♀.	„	p. 538.	Ecuador.
13.	*Metareva endoscota*, ♀.	„	p. 539.	Peru.
14.	*Ardonea judaphila*, ♂.	„	p. 542.	Fr. Guiana.
15.	*Josiodes suapurensis*, ♂.	„	p. 544.	Venezuela.
16.	„ *intensa*, ♀.	„	p. 545.	Surinam.
17.	„ *nigrobasalis*, ♀.	„	p. 545.	Br. Guiana.
18.	*Marsypophora dissimilipennis*, ♂.		p. 547.	Ecuador.
19.	*Ptychoglene stenodora*, ♂.	„	p. 547.	Mexico.
20.	*Cisthene argentinensis*, ♀.	„	p. 548.	Argentina.
21.	„ *triplaga*, ♂.	„	p. 548.	Paraguay.
22.	*Aglossosia latifusca*, ♂.	„	p. 550.	Uganda.
23.	„ *deceptans*, ♂.	„	p. 550.	Br. E. Africa.
24.	*Caripodia fuscicincta*, ♂.	„	p. 551.	Br. E. Africa.
25.	„ *albescens*, ♀.	„	p. 551.	Sierra Leone.
26.	„ *persimilis*, ♀.	„	p. 551.	Br. E. Africa.
27.	*Onychipodia flavothorax*, ♀.	„	p. 551.	Angola.
28.	„ *straminea*, ♂.	„	p. 552.	Uganda.
29.	*Anaphosia aurantiaca*, ♂.	„	p. 554.	Transvaal.
30.	„ *parallela*, ♂.	„	p. 555.	Angola.
31.	*Gnamptonychia orsola*, ♂.	„	p. 555.	Mexico.
32.	*Nyctosia pœcilonotus*, ♂.	„	p. 556.	Mexico.

Horace Knight del et lith. West, New

PLATE XXX.

1.	*Manoba divisa*, ♂.	Suppl. I.	p. 560.	N. Guinea.
2.	„ *atripuncta*, ♂.	„	p. 561.	S. Nigeria.
3.	„ *progonia*, ♀.	„	p. 561.	Br. E. Africa.
4.	„ *tornalis*, ♀.	„	p. 561.	Gold Coast.
5.	„ *apicalis*, ♂.	„	p. 561.	Gold Coast.
6.	„ *albina*, ♀.	„	p. 562.	N. Guinea.
7.	„ *alboplagiata*, ♀.	„	p. 562.	N. Guinea.
8.	*Parascaptia trifascia*, ♂.	„	p. 563.	N. Guinea.
9.	*Garudinodes castanea*, ♂.	„	p. 565.	N. Guinea.
10.	„ *albofasciata*, ♀.	„	p. 566.	N. Guinea.
11.	*Padenodes unifascia*, ♂.	„	p. 567.	N. Guinea.
12.	*Garudinia bimaculata*, ♂.	„	p. 568.	Labuan.
13.	*Eucyclopera minuta*, ♂.	„	p. 569.	N. Guinea.
14.	*Padenia sordida*, ♀.	„	p. 570.	Malay States.
15.	„ *bifasciata*, ♂.	„	p. 570.	N. Guinea.
16.	„ *cupreifascia*, ♀.	„	p. 571.	Sumbawa.
17.	*Narasodes rufocostalis*, ♀.	„	p. 571.	N. Guinea.
18.	*Macaduma foliacea*, ♂.	„	p. 573.	N. Guinea.
19.	„ *tortricoides*, ♂.	„	p. 574.	N. Guinea.
20.	„ *castaneofusca*, ♂.	„	p. 574.	N. Guinea.
21.	„ *castaneogriseata*, ♀.	„	p. 574.	N. Guinea.
22.	„ *fuliginosa*, ♀.	„	p. 575.	N. Guinea.
23.	„ *pallicosta*, ♂.	„	p. 575.	Queensland.
24.	„ *albisparsa*, ♂.	„	p. 575.	N. Guinea.
25.	„ *simplex*, ♂.	„	p. 576.	N. Britain.
26.	„ *reducta*, ♀.	„	p. 576.	D'Entrecasteaux Is.
27.	„ *aroa*, ♂.	„	p. 576.	N. Guinea.
28.	„ *castanea*, ♂.	„	p. 577.	N. Guinea.
29.	„ *rufa*, ♂.	„	p. 577.	N. Guinea.
30.	„ *quercifolia*, ♂.	„	p. 577.	N. Guinea.
31.	„ *rufoumbrata*, ♂.	„	p. 577.	N. Guinea.
32.	„ *costimacula*, ♂.	„	p. 578.	N. Guinea.
33.	„ *lichenia*, ♂.	„	p. 578.	N. Guinea.
34.	„ *macrosema*, ♂.	„	p. 579.	N. Guinea.
35.	„ *cretacea*, ♂.	„	p. 580.	Formosa.
36.	„ *albida*, ♀.	„	p. 580.	N. Guinea.

Horace Knight delet lith. West, Newman chr

PLATE XXXI.

1.	*Lambulosia aurantiaca*, ♂.	Suppl. I.	p. 582.	N. Guinea.
2.	*Darantasia mesosema*, ♀.	,,	p. 583.	Obi.
3.	,, *pervittata*, ♀.	,,	p. 583.	N. Guinea.
4.	,, *cyanoxantha*, ♂.	,,	p. 583.	N. Guinea.
5.	,, *ecxanthia*, ♀.	,,	p. 584.	Goodenough I.
6.	,, *cyanifera*, ♂.	,,	p. 585.	N. Guinea.
7.	*Heliosia eurochrysa*, ♀.	,,	p. 585.	N. Guinea.
8.	,, *micra*, ♂.	,,	p. 585.	Queensland.
9.	,, *aurantia*, ♂.	,,	p. 585.	N. Guinea.
10.	,, *suffusa*, ♂.	,,	p. 586.	N. Guinea.
11.	,, *atriplaga*, ♂.	,,	p. 586.	Loyalty Is.
12.	,, *alba*, ♂.	,,	p. 586.	Formosa.
13.	*Halone furcifascia*, ♂.	,,	p. 588.	N. Guinea.
14.	,, *coryphœa*, ♂.	,,	p. 588.	Queensland.
15.	,, *flavinigra*, ♂.	,,	p. 588.	Madras.
16.	,, *ebœa*, ♂.	,,	p. 589.	Queensland.
17.	,, *niveiceps*, ♂.	,,	p. 590.	N. Guinea.
18.	*Byrsia latiplaga*, ♀.	,,	p. 591.	N. Guinea.
19.	,, *amœna*, ♀.	,,	p. 592.	Solomon Is.
20.	*Neoscaptia æqualis*, ♂.	,,	p. 595.	N. Guinea.
21.	,, *bimaculata*, ♀.	,,	p. 596.	N. Guinea.
22.	,, *apicipuncta*, ♀.	,,	p. 596.	N. Guinea.
23.	,, *unipunctata*, ♀.	,,	p. 596.	N. Guinea.
24.	,, *cœruleomarginata*, ♀.	,,	p. 597.	N. Guinea.
25.	,, *pœcila*, ♀.	,,	p. 597.	N. Guinea.
26.	,, *affinis*, ♀.	,,	p. 598.	N. Guinea.
27.	,, *albicollis*, ♂.	,,	p. 598.	N. Guinea.
28.	,, *basinitens*, ♀.	,,	p. 599.	N. Guinea.
29.	*Scaptesyle plumosa*, ♂.	,,	p. 600.	Borneo.
30.	,, *bipartita*, ♂.	,,	p. 601.	N. Guinea.
31.	,, *bizone*, ♀.	,,	p. 601.	N. Guinea.
32.	,, *violinitens*, ♂.	,,	p. 602.	N. Guinea.
33.	*Caprimima insignis*, ♀.	,,	p. 603.	Solomon Is.
34.	,, *isabella*, ♀.	,,	p. 603.	Solomon Is.
35.	,, *choiseuli*, ♀.	,,	p. 603.	Solomon Is.
36.	,, *bipuncta*, ♀.	,,	p. 605.	N. Guinea.

Horace Knight del. et lith. West, Newman chr

PLATE XXXII.

1.	*Caprimima biguttata*, ♂.	Suppl. I.	p. 605.	N. Guinea.
2.	„ *occidentalis*, ♂.	„	p. 606.	Nias I.
3.	„ *monoleuca*, ♀.	„	p. 606.	Goodenough I.
4.	„ *obliqua*, ♀.	„	p. 606.	N. Guinea.
5.	„ *peraffinis*, ♀.	„	p. 607.	N. Guinea.
6.	„ *postexpansa*, ♀.	„	p. 607.	N. Guinea.
7.	„ *imitatrix*, ♀.	„	p. 607.	N. Guinea.
8.	„ *pseudogelida*, ♀.	„	p. 608.	N. Guinea.
9.	„ *cupreonitens*, ♀.	„	p. 608.	N. Guinea.
10.	„ *ænea*, ♀.	„	p. 608.	N. Guinea.
11.	„ *metallica*, ♀.	„	p. 609.	N. Guinea.
12.	„ *postvitrea*, ♂.	„	p. 609.	N. Guinea.
13.	„ *postnigra*, ♂.	„	p. 610.	N. Guinea.
14.	„ „ ♀.	„	p. 610.	N. Guinea.
15.	„ *plagosa*, ♂.	„	p. 610.	N. Guinea.
16.	„ *pelochroa*, ♂.	„	p. 611.	Queensland.
17.	„ *scripta*, ♀.	„	p. 611.	Queensland.
18.	„ *aurantiomarginata*, ♂.	„	p. 612.	Solomon Is.
19.	*Pronola fraterna*, ♂.	„	p. 614.	Fr. Guiana.
20.	„ *ectrocta*, ♂.	„	p. 614.	Colombia.
21.	*Chionæma straminea*, ♀.	„	p. 635.	Formosa.
22.	„ *basisticta*, ♀.	„	p. 635.	Gold Coast.
23.	„ *biagi*, ♂.	„	p. 636.	N. Guinea.
24.	„ *phæocraspis*, ♂.	„	p. 637.	Louisiades.
25.	*Eurosia fuliginea*, ♂.	„	p. 637.	Natal.
26.	„ *bicolor*, ♀.	„	p. 638.	N. Guinea.
27.	„ *substrigillata*, ♀.	„	p. 638.	N. Guinea.
28.	„ *accepta*, ♂.	„	p. 638.	Borneo.
29.	*Meteugoa melanoleuca*, ♂.	„	p. 640.	N. Guinea.
30.	*Balbura fasciata*, ♂.	„	p. 642.	Costa Rica.
31.	*Lithoprocris hamon*, ♂.	„	p. 643.	Peru.
32.	*Dipæna incontenta*, ♂.	„	p. 643.	Fr. Guiana.
33.	*Cloesia digna*, ♂.	„	p. 644.	Costa Rica.
34.	„ *normalis*, ♂.	„	p. 644.	Colombia.
35.	*Nola endoscota*, ♀.	„	p. 407.	Gold Coast.
36.	*Caprimima sicciodes*, ♂.	„	p. 611.	Tasmania.

Horace Knight del. et lith.

PLATE XXXIII.

1.	*Chionæma metaleuca*, ♂.	Suppl. I. p. 616.	Java.
2.	,, *dinava*, ♂.	,, p. 617.	N. Guinea.
3.	,, *selangorica*, ♂.	,, p. 619.	Selangor.
4.	,, *subalba*, ♂.	,, p. 620.	Formosa.
5.	,, *euryantha*, ♂.	,, p. 620.	Philippines.
6.	,, *axiologa*, ♂.	,, p. 620.	Nias.
7.	,, *fasciatella*, ♂.	,, p. 621.	Celebes.
8.	,, *saulia*, ♀.	,, p. 621.	Borneo.
9.	,, *malayensis*, ♂.	,, p. 622.	Selangor.
10.	,, *rhadota*, ♀.	,, p. 622.	Nias.
11.	,, *rufistigma*, ♀.	,, p. 623.	Borneo.
12.	,, *yunnanensis*, ♀.	,, p. 624.	Yunnan.
13.	,, *guizonis*, ♀.	,, p. 624.	Solomon Is.
14.	,, *postdivisa*, ♀.	,, p. 625.	N. Guinea.
15.	,, *metamelas*, ♂.	,, p. 625.	N. Guinea.
16.	,, *croceizona*, ♀.	,, p. 626.	N. Guinea.
17.	,, *transfasciata*, ♂.	,, p. 627.	N. Guinea.
18.	,, ,, ♀.	,, p. 627.	N. Guinea.
19.	,, *nigroplagata*, ♂.	,, p. 628.	N. Guinea.
20.	,, *inusitata*, ♂.	,, p. 628.	N. Guinea.
21.	,, ,, ♀.	,, p. 628.	N. Guinea.
22.	,, *basialba*, ♀.	,, p. 629.	N. Guinea.
23.	,, *nigrescens*, ♂.	,, p. 630.	N. Guinea.
24.	,, *distincta*, ♀.	,, p. 631.	Burma.
25.	,, *propinqua*, ♂.	,, p. 631.	Formosa.
26.	,, *aurantiorufa*, ♂.	,, p. 632.	Sumatra.
27.	,, *quadripartita*, ♂.	,, p. 633.	Formosa.
28.	,, *rubritermina*, ♂.	,, p. 633.	S. Nigeria.
29.	,, *capensis*, ♂.	,, p. 634.	Cape Colony.
30.	,, *flavalba*, ♂.	,, p. 634.	Penang.
31.	,, *rhodostriata*, ♂.	,, p. 634.	Natal.
32.	,, *bicolor*, ♂.	,, p. 635.	N. Guinea.

Horace Knight del et lith. West, Newman chr

PLATE XXXIV.

1.	*Endoliche major*, ♀.	Suppl. I.	p. 645.	Peru.
2.	*Dolichesia lignaria*, ♂.	,,	p. 646.	Peru.
3.	*Neothyone xanthæma*, ♂.	,,	p. 648.	Fr. Guiana.
4.	*Thyone dremma*, ♂.	,,	p. 648.	Br. Guiana.
5.	,, *muricolor*, ♂.	,,	p. 649.	Fr. Guiana.
6.	,, *grisescens*, ♂.	,,	p. 649.	Costa Rica.
7.	,, *trimaculata*, ♂.	,,	p. 649.	S. Brazil.
8.	*Afrida tortricifascies*, ♂.	,,	p. 650.	Haiti.
9.	,, *mesomelæna*, ♀.	,,	p. 650.	Jamaica.
10.	,, *parvula*, ♂.	,,	p. 650.	Costa Rica.
11.	,, *basiposis*, ♂.	,,	p. 651.	Haiti.
12.	,, *interdicta*, ♂.	,,	p. 651.	Cuba.
13.	,, *charientisma*, ♂.	,,	p. 651.	Cuba.
14.	,, *pnixis*, ♂.	,,	p. 652.	Panama.
15.	,, *gymnes*, ♂.	,,	p. 652.	Panama.
16.	,, *cosmiogramma*, ♂.	,,	p. 652.	Cuba.
17.	,, *ydatodes*, ♀.	,,	p. 653.	Florida.
18.	,, *basipunctata*, ♂.	,,	p. 653.	Peru.
19.	,, *flavifera*, ♂.	,,	p. 654.	Colombia.
20.	,, *melampages*, ♂.	,,	p. 654.	S. Brazil.
21.	,, *oligoglotta*, ♂.	,,	p. 655.	S. Brazil.
22.	,, *viridifera*, ♂.	,,	p. 655.	Bolivia.
23.	,, *superciliosa*, ♂.	,,	p. 656.	S. Brazil.
24.	,, *coagulata*, ♀.	,,	p. 656.	Mexico.
25.	,, *zoephila*, ♂.	,,	p. 657.	Mexico.
26.	,, *amphithrepta*, ♀.	,,	p. 657.	Argentina.
27.	,, *melenita*, ♂.	,,	p. 658.	Fr. Guiana.
28.	,, *zolda*, ♂.	,,	p. 658.	Mexico.
29.	,, *polyglotta*, ♂.	,,	p. 659.	Costa Rica.
30.	,, *claricosta*, ♂.	,,	p. 659.	Fr. Guiana.
31.	,, *phasma*, ♂.	,,	p. 660.	S. Brazil.
32.	,, *sceletozona*, ♂.	,,	p. 660.	Costa Rica.
33.	*Hypermæpha maroniensis*, ♂.	,,	p. 661.	Fr. Guiana.
34.	*Chrysochlorosia magnifica*, ♂.	,,	p. 661.	Costa Rica.
35.	,, *superba*, ♀.	,,	p. 662.	Colombia.
36.	*Odozana sixola*, ♂.	,,	p. 663.	Costa Rica.

Horace Knight delet lith.

PLATE XXXV.

1.	*Odozana roseiceps*, ♂.	Suppl. I.	p. 663.	Peru.
2.	„ *decepta*, ♂.	„	p. 664.	Costa Rica.
3.	„ *coccinicepS*, ♀.	„	p. 664.	S. Brazil.
4.	„ *patagiata*, ♀.	„	p. 664.	Bolivia.
5.	„ *inconspicua*, ♀.	„	p. 664.	Costa Rica.
6.	*Prepiella phœnicolopha*, ♂.	„	p. 665.	Ecuador.
7.	„ *procridia*, ♂.	„	p. 665.	Paraguay.
8.	„ *convergens*, ♂.	„	p. 665.	Fr. Guiana.
9.	„ *radicans*, ♂.	„	p. 665.	Br. Guiana.
10.	*Lamprostola thermeola*, ♀.	„	p. 666.	Colombia.
11.	„ *unifascia*, ♂.	„	p. 666.	Colombia.
12.	„ *endochrysis*, ♂.	„	p. 666.	Colombia.
13.	*Illice mediofasciata*, ♀.	„	p. 668.	Bolivia.
14.	„ *triplaga*, ♂.	„	p. 669.	Paraguay.
15.	„ *angelus*, ♂.	„	p. 670.	Arizona.
16.	„ *abala*, ♀.	„	p. 670.	Fr. Guiana.
17.	„ *discistriga*, ♀.	„	p. 671.	Fr. Guiana.
18.	„ *subrubra*, ♂.	„	p. 671.	Fr. Guiana.
19.	„ *longistriga*, ♂.	„	p. 671.	Peru.
20.	„ *biota*, ♂.	„	p. 672.	Br. Guiana.
21.	„ *subrufa*, ♀.	„	p. 672.	Texas.
22.	„ *pygmæa*, ♂.	„	p. 672.	Fr. Guiana.
23.	„ *injecta*, ♀.	„	p. 673.	Alabama.
24.	„ *roseiceps*, ♂.	„	p. 674.	Paraguay.
25.	„ *flagrans*, ♂.	„	p. 674.	Argentina.
26.	„ *rhodocraspis*, ♂.	„	p. 674.	Argentina.
27.	„ *griseola*, ♂.	„	p. 674.	S. Brazil.
28.	„ *bisigna*, ♀.	„	p. 675.	Patagonia.
29.	„ *rubricollis*, ♀.	„	p. 675.	Fr. Guinea.
30.	„ *persimilis*, ♂.	„	p. 675.	S. Brazil.
31.	„ *cryptopyra*, ♂.	„	p. 676.	S. Brazil.
32.	„ *triplagiata*, ♀.	„	p. 676.	Mexico.
33.	„ *dorsimacula*, ♂.	„	p. 676.	California.
34.	„ *liberomacula*, ♂.	„	p. 676.	California
35.	„ *tessellata*, ♀.	„	p. 677.	Colombia.
36.	„ *crœsus*, ♀.	„	p. 678.	Brazil.

Horace Knight del.et lith. West, Newman chr.

PLATE XXXVI.

1.	*Metalobosia chalcoela*, ♀.	Suppl. I.	p. 679.	Colombia.
2.	,, *invarda*, ♂.	,,	p. 679.	Fr. Guiana.
3.	,, *postrubida*, ♂.	,,	p. 680.	Panama.
4.	,, *atriloba*, ♂.	,,	p. 680.	Colombia.
5.	*Nodozana boliviana*, ♂.	,,	p. 683.	Bolivia.
6.	,, *coccinicepS*, ♀.	,,	p. 685.	Colombia.
7.	,, *fifina*, ♀.	,,	p. 685.	Panama.
8.	,, *bellicula*, ♂.	,,	p. 685.	Fr. Guiana.
9.	,, *hieroglyphica*, ♂.	,,	p. 685.	Ecuador.
10.	,, *bifasciata*, ♀.	,,	p. 686.	Peru.
11.	,, *picturata*, ♂.	,,	p. 686.	Costa Rica.
12.	,, *roseofuliginosa*, ♂.	,,	p. 687.	Brazil.
13.	,, *endoxantha*, ♂.	,,	p. 687.	Brazil.
14.	*Seripha plumbeola*, ♂.	,,	p. 687.	Cuba.
15.	*Ascaptesyle purpurascens*, ♀.	,,	p. 689.	Peru.
16.	*Lycomorphodes hemicrocea*, ♂.	,,	p. 689.	Colombia.
17.	,, *tortricina*, ♂.	,,	p. 689.	Trinidad.
18.	,, *correbioides*, ♂.	,,	p. 690.	Costa Rica.
19.	,, *calopteridion*, ♂.	,,	p. 690.	Brazil.
20.	,, *epatra*, ♂.	,,	p. 691.	Fr. Guiana.
21.	,, *dichroa*, ♀.	,,	p. 691.	Colombia.
22.	,, *bicolor*, ♀.	,,	p. 691.	Colombia.
23.	,, *flavipars*, ♂.	,,	p. 692.	Colombia.
24.	,, *circinata*, ♂.	,,	p. 693.	Colombia.
25.	*Talara esperanza*, ♂.	,,	p. 693.	Costa Rica.
26.	,, *subcoccinea*, ♂.	,,	p. 694.	Fr. Guiana.
27.	,, *ornata*, ♂.	,,	p. 694.	Fr. Guiana.
28.	,, *lepida*, ♂.	,,	p. 694.	Costa Rica.
29.	,, *alborosea*, ♂.	,,	p. 695.	Venezuela.
30.	,, *albipars*, ♂.	,,	p. 695.	Ecuador.
31.	,, *nigroplagiata*, ♂.	,,	p. 695.	Bolivia.
32.	,, *leucophæa*, ♂.	,,	p. 696.	Fr. Guiana.
33.	,, *chionophæa*, ♀.	,,	p. 696.	Brazil.
34.	,, *violaceogrisea*, ♂.	,,	p. 696.	Br. Honduras.
35.	,, *brunnescens*, ♂.	,,	p. 697.	Peru.
36.	,, *ignibasis*, ♂.	,,	p. 697.	Peru.

Horace Knight del et lith.

West, Newman chr

PLATE XXXVII.

1.	*Talara cara*, ♂.	Suppl. I.	p. 697.	Costa Rica.
2.	„ *miniata*, ♀.	„	p. 697.	Brazil.
3.	„ *rubida*, ♀.	„	p. 698.	Costa Rica.
4.	„ *decepta*, ♂.	„	p. 698.	Fr. Guiana.
5.	„ *bicolor*, ♀.	„	p. 698.	Colombia.
6.	„ *diversa*, ♂.	„	p. 699.	Fr. Guiana.
7.	„ *unimoda*, ♀.	„	p. 699.	Fr. Guiana.
8.	„ *rugipennis*, ♀.	„	p. 699.	Fr. Guiana.
9.	*Siccia atrigutta*, ♂.	„	p. 703.	Angola.
10.	„ *melanospila*, ♂.	„	p. 703.	Br. E. Africa.
11.	„ *cretata*, ♀.	„	p. 705.	Gold Coast.
12.	„ *stictica*, ♀.	„	p. 705.	Gold Coast.
13.	„ *conformis*, ♂.	„	p. 706.	N. Nigeria.
14.	„ *fumeola*, ♂.	„	p. 706.	Formosa.
15.	„ *pyralina*, ♂.	„	p. 706.	N. Guinea.
16.	„ *fasciata*, ♀.	„	p. 707.	N. Guinea.
17.	*Eutelesia phæochroa*, ♂.	„	p. 707.	Colombia.
18.	*Clemensia alembis*, ♂.	„	p. 709.	Mexico.
19.	„ *leisova*, ♂.	„	p. 710.	Mexico.
20.	„ *leopardina*, ♂.	„	p. 710.	Costa Rica.
21.	„ *reticulata*, ♂.	„	p. 710.	Peru.
22.	„ *urucata*, ♂.	„	p. 711.	Costa Rica.
23.	„ *maculata*, ♀.	„	p. 712.	Peru.
24.	„ *abnormis*, ♂.	„	p. 713.	Fr. Guiana.
25.	„ *distincta*, ♀.	„	p. 714.	Trinidad.
26.	„ *mesomma*, ♂.	„	p. 715.	Colombia.
27.	„ *mucida*, ♂.	„	p. 716.	Costa Rica.
28.	„ *leucogramma*, ♂.	„	p. 716.	Panama.
29.	„ *lacteata*, ♂.	„	p. 716.	Peru.
30.	*Hyposiccia taïvana*, ♀.	„	p. 721.	Formosa.
31.	*Parasiccia nebulosa*, ♂.	„	p. 721.	Formosa.
32.	„ *perirrorata*, ♂.	„	p. 722.	W. China.
33.	„ *fuscipennis*, ♂.	„	p. 722.	Formosa.
34.	„ *punctilinea*, ♂.	„	p. 723.	Formosa.
35.	*Ovipennis binghami*, ♀.	„	p. 724.	Burma.
36.	*Asuridia decussa*, ♂.	„	p. 724.	N. Guinea.

Horace Knight del et lith. West, Newman chr.

PLATE XXXVIII.

1.	*Asuridia miltochristoides*, ♀.	Suppl. I.	p. 725.	Assam.
2.	„ *nigrisparsa*, ♀.	„	p. 725.	N. Guinea.
3.	„ *phœnicea*, ♀.	„	p. 726.	Goodenough I.
4.	„ *suberuciata*, ♂.	„	p. 726.	Ké Is.
5.	*Xanthetis obiensis*, ♂.	„	p. 727.	Obi.
6.	*Chrysasura leopardina*, ♂.	„	p. 731.	Celebes.
7.	„ *postvitreata*, ♂.	„	p. 731.	Celebes.
8.	*Neasura rufescens*, ♂.	„	p. 732.	N. Guinea.
9.	„ *taprobana*, ♂.	„	p. 732.	Ceylon.
10.	„ *circumducta*, ♂.	„	p. 732.	N. Britain.
11.	*Zygænosia lata*, ♀.	„	p. 733.	D'Entrecasteaux Is.
12.	„ *tetragona*, ♂.	„	p. 733.	Batchian.
13.	„ *meeci*, ♂.	„	p. 733.	N. Guinea.
14.	„ *basalis*, ♂.	„	p. 734.	D'Entrecasteaux Is.
15.	„ *assimilis*, ♂.	„	p. 734.	Salawatti.
16.	„ *flaviceps*, ♂.	„	p. 735.	Batchian.
17.	„ *isabella*, ♂.	„	p. 735.	Solomons.
18.	„ *salamonis*, ♂.	„	p. 735.	Solomons.
19.	„ *subhyalinifascia*, ♂.	„	p. 736.	N. Guinea.
20.	„ *fuliginosa*, ♂.	„	p. 736.	N. Guinea.
21.	„ *rubiana*, ♂.	„	p. 736.	Solomons.
22.	*Phacusosia grandis*, ♀.	„	p. 738.	N. Guinea.
23.	*Trichocerosia signata*, ♀.	„	p. 738.	Louisiades.
24.	„ *woodlarciana*. ♂.	„	p. 738.	Woodlark I.
25.	„ *elongata*, ♂.	„	p. 739.	Louisiades.
26.	„ *zebrina*, ♀.	„	p. 739.	N.S. Wales.
27.	*Tricholepis melanoxantha*, ♂.	„	p. 740.	Batian.
28.	„ *rhodia*, ♀.	„	p. 740.	Ternate.
29.	„ *sinapis*, ♀.	„	p. 740.	N. Guinea.
30.	„ *ochracea*, ♂.	„	p. 740.	N. Guinea.
31.	„ *unicolor*, ♂.	„	p. 741.	Amboina.
32.	„ *xanthopera*, ♂.	„	p. 742.	Singapore.
33.	*Asura variabilis*, ♂.	„	p. 744.	Mysol.
34.	„ *marginata*, ♂.	„	p. 745.	N. Guinea.
35.	„ *semivitrea*, ♂.	„	p. 745.	Queensland.
36.	„ *pseudojosiodes*, ♂.	„	p. 746.	N. Guinea.

Horace Knight del. et lith.

West, Newman lith.

PLATE XXXIX.

1.	*Asura habrotis*, ♂.	Suppl. I.	p. 746.	Tasmania.
2.	,, *melanoxantha*, ♂.	,,	p. 746.	N. Guinea.
3.	,, *mimetica*, ♂.	,,	p. 746.	Solomons.
4.	,, *pectinata*, ♂.	,,	p. 747.	Angola.
5.	,, *amabilis*, ♂.	,,	p. 747.	Solomons.
6.	,, *albigrisea*, ♂.	,,	p. 748.	N. Guinea.
7.	,, *pallida*, ♂.	,,	p. 748.	Dorey.
8.	,, *rhodina*, ♂.	,,	p. 748.	N. Guinea.
9.	,, *trizonata*, ♂.	,,	p. 749.	Ké Is.
10.	,, *arenaria*, ♂.	,,	p. 749.	N. Guinea.
11.	,, *albidorsalis*, ♂.	,,	p. 749.	Formosa.
12.	,, *ocnerioides*, ♂.	,,	p. 750.	N. Guinea.
13.	,, *peloa*, ♂.	,,	p. 750.	Sumatra.
14.	,, *mediopuncta*, ♂.	,,	p. 751.	Assam.
15.	,, *reducta*, ♂.	,,	p. 752.	Solomons.
16.	,, *insularis*, ♂.	,,	p. 753.	Louisiades.
17.	,, *pyrostrota*, ♂.	,,	p. 753.	Solomons.
18.	,, *analogia*, ♂.	,,	p. 753.	Solomons.
19.	,, *crocota*, ♀.	,,	p. 754.	N. Guinea.
20.	,, *irregularis*, ♀.	,,	p. 754.	Hainan.
21.	,, *punctata*, ♂.	,,	p. 755.	Assam.
22.	,, *obliquilinea*, ♀.	,,	p. 755.	Assam.
23.	,, *isabellina*, ♂.	,,	p. 756.	Solomons.
24.	,, *bougainvillei*, ♀.	,,	p. 756.	Solomons.
25.	,, *floridensis*, ♀.	,,	p. 757.	Solomons.
26.	,, *aureorosea*, ♂.	,,	p. 757.	N. Guinea.
27.	,, *coccineotermen*, ♀.	,,	p. 758.	N. Guinea.
28.	,, *hieroglyphica*, ♂.	,,	p. 758.	N. Guinea.
29.	,, *intensa*, ♂.	,,	p. 759.	N. Guinea.
30.	,, *hæmachroa*, ♂.	,,	p. 760.	Solomons.
31.	,, *postbicolor*, ♂.	,,	p. 760.	Timor.
32.	,, *coccineoflammea*, ♂.	,,	p. 761.	N. Guinea.
33.	,, *fasciolata*, ♂.	,,	p. 761.	N. Guinea.
34.	,, *biagi*, ♂.	,,	p. 761.	N. Guinea.
35.	,, *pyrrhauloides*, ♀.	,,	p. 761.	N. Guinea.
36.	,, *miltochristæmorpha*, ♂.	,,	p. 761.	N. Guinea.

Horace Knight del.et lith. West, Newman chr

PLATE XL.

1.	*Asura metascota*, ♂.	Suppl. 1.	p. 763.	Solomons.
2.	,, *feminina*, ♂.	,,	p. 763.	Solomons.
3.	,, *miltochristina*, ♂.	,,	p. 764.	N. Guinea.
4.	,, *anœmica*, ♂.	,,	p. 764.	N. Guinea.
5.	,, *citrinopuncta*, ♂.	,,	p. 765.	N. Guinea.
6.	,, *quadrifasciata*, ♂.	,,	p. 765.	Celebes.
7.	,, *atricraspeda*, ♂.	,,	p. 766.	Gold Coast.
8.	,, *toxodes*, ♂.	,,	p. 766.	Andamans.
9.	,, *neavi*, ♂.	,,	p. 767.	Uganda.
10.	,, *obsolescens*, ♀.	,,	p. 767.	Uganda.
11	,, *tricolor*, ♂.	,,	p. 768.	Formosa.
12.	,, *eldola*, ♂.	,,	p. 768.	Queensland.
13.	,, *percurrens*, ♂.	,,	p. 769.	N. Guinea.
14.	,, *lutea*, ♂.	,,	p. 770.	N. Guinea.
15.	,, *biplagiata*, ♂.	,,	p. 771.	N. Guinea.
16.	,, *phantasma*, ♂.	,,	p. 772.	Andamans.
17.	,, *acteola*, ♀.	,,	p. 772.	Siam.
18.	,, *aureata*, ♂.	,,	p. 773.	Assam.
19.	,, *rosalia*, ♂.	,,	p. 773.	Java.
20.	,, *mediofascia*, ♂.	,,	p. 773.	Sumbawa.
21.	,, *ougarra*, ♂.	,,	p. 774.	N. Guinea.
22.	,, *orsova*, ♂.	,,	p. 774.	Siam.
23.	,, *striata*, ♂.	,,	p. 775.	Formosa.
24.	,, *strigatula*, ♂.	,,	p. 775.	Assam.
25.	,, *rosacea*, ♂.	,,	p. 776.	N. Guinea.
26.	,, *asuroides*, ♀.	,,	p. 776.	N. Guinea.
27.	,, *fulvimarginata*, ♀.	,,	p. 776.	Madras.
28.	*Miltochrista phœodonta*, ♂.	,,	p. 779.	Sikhim.
29.	,, *elongata*, ♂.	,,	p. 779.	N. Guinea.
30.	,, *dentata*, ♀.	,,	p. 780.	Formosa.
31.	,, *ocellata*, ♀.	,,	p. 780.	Ceylon.
32.	,, *flavoplagiata*, ♂.	,,	p. 781.	Sula Is.
33.	,, *dohertyi*, ♂.	,,	p. 781.	Sumbawa.
34.	,, *convexa*, ♀.	,,	p. 782.	Formosa.
35.	,, *connexa*, ♂.	,,	p. 782.	Formosa.
36.	,, *parameia*, ♂.	,,	p. 782.	Tonkin.

Horace Knight delet lith.

West, Newman chr

PLATE XLI.

1.	*Miltochrista citrona*, ♀.	Suppl. I.	p. 783.	Singapore.
2.	,, *coccinea*, ♀.	,,	p. 783.	Assam.
3.	,, *syntypica*, ♀.	,,	p. 784.	Sumatra.
4.	,, *vepallida*, ♂.	,,	p. 784.	Buru.
5.	,, *thomensis*, ♀.	,,	p. 784.	St. Thomé.
6.	,, *limbata*, ♀.	,,	p. 785.	Formosa.
7.	,, *pica*, ♀.	,,	p. 785.	Formosa.
8.	*Eutane subnigra*, ♀.	,,	p. 786.	Queensland.
9.	,, *nivea*, ♀.	,,	p. 787.	Pulo Laut.
10.	*Thallarcha fuscogrisea*, ♂.	,,	p. 787.	S. Australia.
11.	*Philenora tenuilinea*, ♀.	,,	p. 789.	Formosa.
12.	,, *lauta*, ♀.	,,	p. 789.	Siam.
13.	,, *mediopuncta*, ♂.	,,	p. 790.	Solomons.
14.	,, *sordidior*, ♀.	,,	p. 790.	N. Guinea.
15.	,, *disticha*, ♀.	,,	p. 791.	Gold Coast.
16.	,, *aroa*, ♂.	,,	p. 792.	N. Guinea.
17.	*Hæmatomis radians*, ♂.	,,	p. 793.	Mexico.
18.	*Diarhabdosia strigipennis*, ♂.	,,	p. 794.	Fr. Guiana.
19.	,, *cora*, ♂.	,,	p. 794.	Fr. Guiana.
20.	,, *coroides*, ♂.	,,	p. 794.	Costa Rica.
21.	,, *melinda*, ♂.	,,	p. 795.	Costa Rica.
22.	,, *mandana*, ♂.	,,	p. 795.	S. Brazil.
23.	*Eurylomia similiforma*, ♂.	,,	p. 796.	? Cuba.
24.	*Schistophleps costimacula*, ♂.	,,	p. 798.	N. Guinea.
25.	,, *noloides*, ♂.	,,	p. 798.	N. Guinea.
26.	,, *simillima*, ♀.	,,	p. 799.	N. Guinea.
27.	,, *hyalina*, ♂.	,,	p. 799.	N. Guinea.
28.	,, *chamaitoides*, ♂.	,,	p. 799.	N. Guinea.
29.	*Teinomastyx goliathina*, ♀.	,,	p. 800.	N. Guinea.
30.	*Chamaita barnardi*, ♂.	,,	p. 804.	Queensland.
31.	,, *niveata*, ♀.	,,	p. 805.	N. Guinea.
32.	*Palæopsis squamifera*, ♂.	,,	p. 805.	Formosa.
33.	,, *albipunctella*, ♂.	,,	p. 805.	Borneo.
34.	*Melastrota dona*, ♀.	,,	p. 807.	Queensland.
35.	*Heterallactis semiconstricta*, ♂.	,,	p. 809.	N. Guinea.
36.	*Diduga plumosa*, ♂.	,,	p. 810.	Tambora.
37.	*Ilema pulverosa*, ♂.	,,	p. 489.	Cameroons.
38.	,, *interposita*, ♂.	,,	p. 821.	Algeria.

Horace Knight del et lith

West, Newman chr

CATALOGUE

OF THE

LEPIDOPTERA PHALÆNÆ

IN THE

BRITISH MUSEUM.

SUPPLEMENT. VOLUME II.

PLATES XLII—LXXI.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1920.

(*All rights reserved.*)

SMITHSONIAN LIBRARY

PRESENTED

BY

The Trustees

OF

THE BRITISH MUSEUM.

CATALOGUE

OF THE

LEPIDOPTERA PHALÆNÆ

IN THE

BRITISH MUSEUM.

Published June 13th 1920.

SUPPLEMENT. VOLUME II.

PLATES XLII—LXXI.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.
1920.

(*All rights reserved.*)

CATALOGUE

OF THE

LITHOSIADÆ

(ARCTIANÆ)

AND

PHALÆNOIDIDÆ

IN THE

COLLECTION

OF THE

BRITISH MUSEUM.

BY

SIR GEORGE F. HAMPSON, BART.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS, GREEN & Co., 39 PATERNOSTER ROW, LONDON, E.C. 4;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, LONDON, W. 1;
DULAU & Co., LTD., 34-36 MARGARET STREET, CAVENDISH SQUARE, LONDON, W. 1:

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W. 7.

1920.

PLATE XLII.

1.	*Diduga albida*, ♂.	Suppl. I.	p. 810.	N. Guinea.
2.	*Eugoa sexpuncta*, ♂.	,,	p. 810.	N. Guinea.
3.	,, *sordida*, ♂.	,,	p. 811.	N. Guinea.
4.	,, *gemina*, ♂.	,,	p. 812.	Gold Coast.
5.	,, *sinuata*, ♀.	,,	p. 812.	Formosa.
6.	,, *bilineata*, ♂.	,,	p. 813.	Singapore.
7.	,, *transfasciata*, ♂.	,,	p. 813.	N. Guinea.
8.	,, *fasciata*, ♂.	,,	p. 813.	N. Guinea.
9.	,, *perfasciata*, ♂.	,,	p. 814.	N. Guinea.
10.	*Robinsonia flavicorpus*, ♂.	Suppl. II.	p. 4.	Fr. Guiana.
11.	,, *rocstonia*, ♂.	,,	p. 7.	Br. Guiana.
12.	*Eugoa immunda*, ♀.	Suppl. I.	p. 814.	Siam.
13.	,, *euryphœa*, ♀.	,,	p. 814.	Sikhim.
14.	,, *brunnea*, ♂.	,,	p. 815.	Formosa.
15.	*Robinsonia evanida*, ♀.	Suppl. II.	p. 9.	Cuba.
16.	,, *longimacula*, ♂.	,,	p. 8.	Brazil.
17.	,, *catasticta*, ♂.	,,	p. 7.	Peru.
18.	*Prumala fogra*, ♂.	,,	p. 36.	Venezuela.
19.	*Trischalis orientalis*, ♂.	Suppl. I.	p. 815.	N. Guinea.
20.	,, *iridescens*, ♂.	,,	p. 815.	N. Guinea.
21.	*Idalus doncasteri*, ♂.	Suppl. II.	p. 10.	Venezuela.
22.	,, *neja*, ♂.	,,	p. 11.	Fr. Guiana.
23.	*Trischalis aureoplagiata*, ♂.	Suppl. I.	p. 816.	N. Guinea.
24.	*Stigmatophora tridens*, ♂.	,,	p. 816.	Formosa.
25.	*Metallosia nitens*, ♀.	,,	p. 816.	Costa Rica.
26.	*Hemonia schistaceoalba*, ♀.	,,	p. 817.	N. Guinea.
27.	,, *simillima*, ♀.	,,	p. 818.	N. Guinea.
28.	,, *schistacea*, ♂.	,,	p. 818.	N. Guinea.
29.	,, *murina*, ♀.	,,	p. 818.	N. Guinea.
30.	,, *pallida*, ♂.	,,	p. 818.	N. Guinea.
31.	,, *monochroa*, ♀.	,,	p. 819.	N. Guinea.

Horace Knight del. et lith. West, Newman chr

PLATE XLIII.

1.	*Idalus catenata*, ♂.	Suppl. II.	p. 11.	S. Brazil.
2.	„ *tetrodonta*, ♂.	„	p. 12.	Venezuela.
3.	„ *irrupta*, ♂.	„	p. 14.	Fr. Guiana.
4.	„ *laurentia*, ♂.	„	p. 16.	Fr. Guiana.
5.	„ *rubens*, ♂.	„	p. 17.	Fr. Guiana.
6.	„ *agrica*, ♂.	„	p. 20.	Mexico.
7.	„ *flavoplaga*, ♂.	„	p. 20.	Fr. Guiana.
8.	*Aphyle albipicta*, ♂.	„	p. 23.	Fr. Guiana.
9.	„ *intorta*, ♀.	„	p. 24.	Costa Rica.
10.	„ *conifera*, ♀.	„	p. 24.	Colombia.
11.	„ *steinbachi*, ♀.	„	p. 25.	Bolivia.
12.	*Phæomolis manora*, ♂.	„	p. 26.	Peru.
13.	„ *mera*, ♂.	„	p. 27.	Costa Rica.
14.	„ *similis*, ♂.	„	p. 28.	Amazons.
15.	*Prumala tessellata*, ♂.	„	p. 28.	Costa Rica.
16.	„ *muscosa*, ♂.	„	p. 29.	Costa Rica.
17.	„ *undervoodi*, ♂.	„	p. 30.	Costa Rica.
18.	„ *herbosa*, ♂.	„	p. 31.	Costa Rica.
19.	„ „ ♀.	„	p. 31.	Costa Rica.
20.	„ *alinda*, ♂.	„	p. 32.	Mexico.
21.	„ *ochrida*, ♂.	„	p. 33.	S. Brazil.
22.	„ *ignipicta*, ♂.	„	p. 33.	S. Brazil.
23.	„ *nigranalis*, ♂.	„	p. 35.	S. Brazil.
24.	„ *pyrostrota*, ♀.	„	p. 36.	Fr. Guiana
25.	„ *hieroglyphica*, ♀.	„	p. 36.	Fr. Guiana.
26.	*Premolis rhyssa*, ♂.	„	p. 39.	Peru.
27.	„ *ridenda*, ♂.	„	p. 40.	Fr. Guiana.
28.	*Zatrephes cardytera*, ♂.	„	p. 45.	Br. Guiana.

Horace Knight del.et lith

West, Newman chr

PLATE XLIV.

1.	*Zatrephes flavida*, ♂.	Suppl. II.	p. 47.	Fr. Guiana.
2.	,, *modesta*, ♂.	,,	p. 49.	Fr. Guiana.
3.	,, *arenosa*, ♂.	,,	p. 54.	Fr. Guiana.
4.	,, *brunnea*, ♂.	,,	p. 54.	Peru.
5.	,, *dithyris*, ♂.	,,	p. 55.	Fr. Guiana.
6.	,, *ossea*, ♂.	,,	p. 57.	Fr. Guiana.
7.	*Eupseudosoma marpessa*, ♂.	,,	p. 60.	Peru.
8.	,, *parapessa*, ♂.	,,	p. 60.	Peru.
9.	*Neaxia bella*, ♂.	,,	p. 61.	Fr. Guiana.
10.	,, *cennedyi*, ♂.	,,	p. 63.	Brazil.
11.	*Eriostepta bacchans*, ♂.	,,	p. 64.	Fr. Guiana.
12.	*Amaxia consistens*, ♂.	,,	p. 68.	Fr. Guiana.
13.	,, *flavipuncta*, ♂.	,,	p. 69.	S. Brazil.
14.	*Neonerita arcifera*, ♂.	,,	p. 73.	Colombia.
15.	,, *minerva*, ♂.	,,	p. 74.	Brazil.
16.	*Paranerita complicata*, ♂.	,,	p. 82.	Fr. Guiana.
17.	,, *irregularis*, ♂.	,,	p. 83.	Surinam.
18.	,, *amelia*, ♂.	,,	p. 83.	Costa Rica.
19.	,, *peninsulata*, ♂.	,,	p. 84.	Venezuela.
20.	,, *lophosticta*, ♂.	,,	p. 84.	Costa Rica.
21.	,, *phœocrota*, ♂.	,,	p. 87.	Fr. Guiana.
22.	,, *aurantiipennis*, ♂.	,,	p. 88.	Br. Guiana.
23.	,, *niobe*, ♂.	,,	p. 90.	Costa Rica.
24.	,, *persimilis*, ♂.	,,	p. 92.	Peru.
25.	,, *perversa*, ♂.	,,	p. 92.	Amazons.
26.	,, *occidentalis*, ♂.	,,	p. 93.	Amazons.
27.	,, *flexuosa*, ♀.	,,	p. 93.	Costa Rica.
28.	,, *peruviana*, ♂.	,,	p. 93.	Peru.
29.	*Hyponerita interna*, ♀.	,,	p. 96.	Fr. Guiana.
30.	,, *lucens*, ♂.	,,	p. 97.	Fr. Guiana.
31.	,, *viola*, ♀.	,,	p. 98.	Fr. Guiana.
32.	,, *pinon*, ♂.	,,	p. 95.	S. Brazil.

Horace Knight del.et lith.

West, Newman chr.

PLATE XLV.

1.	*Azatrephes argyrotis*, ♂.	Suppl. II.	p. 42.	Peru.
2.	*Thyrarctia semivitrea*, ♂.	,,	p. 2.	Peru.
3.	*Paranerita orbifer*, ♂.	,,	p. 89.	Colombia.
4.	*Hyponerita incerta*, ♂.	,,	p. 99.	Fr. Guiana.
5.	,, *carinaria*, ♂.	,,	p. 100.	Fr. Guiana.
6.	,, *declivis*, ♂.	,,	p. 101.	Fr. Guiana.
7.	,, *furva*, ♂.	,,	p. 101.	Surinam.
8.	*Neritos mataleuca*, ♂.	,,	p. 104.	Venezuela.
9.	,, *discophora*, ♂.	,,	p. 106.	Peru.
10.	,, *leucoplaga*, ♂.	,,	p. 107.	Fr. Guiana.
11.	,, *holophœa*, ♂.	,,	p. 107.	Fr. Guiana.
12.	,, *prophœa*, ♂.	,,	p. 109.	Fr. Guiana.
13.	,, *gaudialis*, ♂.	,,	p. 111.	Fr. Guiana.
14.	,, *flavipurpurea*, ♂.	,,	p. 113.	Colombia.
15.	,, *albicollis*, ♂.	,,	p. 113.	Br. Guiana.
16.	,, *carmen*, ♂.	,,	p. 114.	Fr. Guiana.
17.	*Parevia methœmia*, ♂.	,,	p. 118.	Fr. Guiana.
18.	,, *parnelli*, ♂.	,,	p. 119.	Costa Rica.
19.	,, *metachryseis*, ♂.	,,	p. 119.	Surinam.
20.	,, *griseotincta*, ♀.	,,	p. 121.	Surinam.
21.	*Antaxia meridionalis*, ♂.	,,	p. 125.	Peru.
22.	,, *primulina*, ♂.	,,	p. 126.	Colombia.
23.	,, *collaris*, ♂.	,,	p. 126.	S. Brazil.
24.	*Automolis aleteria*, ♂.	,,	p. 129.	Fr. Guiana.
25.	,, *aletis*, ♂,	,,	p. 129.	Costa Rica.
26.	,, ,, ♀.	,,	p. 129.	Panama.
27.	,, *brachystriata*, ♀.	,,	p. 130.	Colombia.
28.	,, *fassli*, ♂.	,,	p. 136.	Colombia.
29.	,, *leucapera*, ♀.	,,	p. 138.	Colombia.
30.	,, *sanguistrigata*, ♂.	,,	p. 139.	Fr. Guiana.



Horace Knight del. et lith.

Adlard & Son & West Newman chr.

PLATE XLVI.

1.	*Automolis tenuifascia*, ♀.	Suppl. II.	p. 142.	Colombia.
2.	,, *monostidza*, ♀.	,,	p. 143.	Peru.
3.	,, *surinamensis*, ♀.	,,	p. 145.	Surinam.
4.	,, *stenotis*, ♂.	,,	p. 145.	Fr. Guiana.
5.	,, *excavata*, ♀.	,,	p. 145.	Costa Rica.
6.	,, *rhodographa*, ♀.	,,	p. 147.	Peru.
7.	,, *rubrireta*, ♂.	,,	p. 147.	Peru.
8.	,, ,, ♀.	,,	p. 147.	Peru.
9.	,, *rhodocyma*, ♂.	,,	p. 148.	Peru.
10.	,, *brunneireta*, ♂.	,,	p. 148.	Peru.
11.	,, *rosa*, ♀.	,,	p. 149.	Colombia.
12.	,, *tuisana*, ♂.	,,	p. 150.	Costa Rica.
13.	,, *pichesensis*, ♂.	,,	p. 151.	Colombia.
14.	,, *formona*, ♂.	,,	p. 152.	Fr. Guiana.
15.	,, *chrysopera*, ♀.	,,	p. 154.	Fr. Guiana.
16.	,, *perflammans*, ♂.	,,	p. 155.	Fr. Guiana.
17.	,, *chionoplaga*, ♀.	,,	p. 156.	Panama.
18.	,, *albiapicalis*, ♀.	,,	p. 157.	Bolivia.
19.	,, *semicostalis*, ♀.	,,	p. 157.	Br. Guiana.
20.	,, *carinosa*, ♂.	,,	p. 160.	S. Brazil.
21.	,, *sulfurea*, ♀.	,,	p. 161.	Fr. Guiana.
22.	,, *hamifera*, ♂.	,,	p. 162.	Fr. Guiana.
23.	,, *neira*, ♂.	,,	p. 164.	S. Brazil.
24.	,, *maura*, ♂.	,,	p. 165.	Costa Rica.
25.	,, *internervosa*, ♀.	,,	p. 167.	Colombia.
26.	,, *bonora*, ♂.	,,	p. 168.	Fr. Guiana.

Horace Knight del et lith. Adlard & Son & West Newman chr

PLATE XLVII.

1.	*Automolis polystria*, ♀.	Suppl. II.	p. 169.	Fr. Guiana.
2.	,, *vampa*, ♀.	,,	p. 169.	Costa Rica.
3.	,, *ilioides*, ♂.	,,	p. 170.	Br. Guiana.
4.	,, *pauperis*, ♂.	,,	p. 170.	Costa Rica.
5.	,, *priscilla*, ♂.	,,	p. 171.	Costa Rica.
6.	,, *dolens*, ♀.	,,	p. 174.	Paraguay.
7.	,, *zonana*, ♂.	,,	p. 174.	Fr. Guiana.
8.	,, *moma*, ♂.	,,	p. 175.	Br. Guiana.
9.	,, *apicata*, ♂.	,,	p. 175.	Fr. Guiana.
10.	,, *dissimilis*, ♀.	,,	p. 176.	Peru.
11.	,, *leucoplaga*, ♂.	,,	p. 176.	Fr. Guiana.
12.	*Hypidalia sanguirena*, ♂.	,,	p. 177.	Fr. Guiana.
13.	*Melese monima*, ♂.	,,	p. 178.	Costa Rica.
14.	,, ,, ♀.	,,	p. 178.	Costa Rica.
15.	,, *rubricata*, ♀.	,,	p. 181.	Fr. Guiana.
16.	,, *columbiana*, ♀.	,,	p. 183.	Colombia.
17.	,, *punctata*, ♂.	,,	p. 183.	Colombia.
18.	,, *chiriquensis*, ♂.	,,	p. 184.	Costa Rica.
19.	,, *pusilla*, ♂.	,,	p. 184.	Br. Guiana.
20.	,, *nigromaculata*, ♂.	,,	p. 185.	S. Brazil.
21.	,, *albogrisea*, ♀.	,,	p. 186.	Paraguay.
22.	,, *castrena*, ♂.	,,	p. 186.	S. Brazil.
23.	,, *pumila*, ♂.	,,	p. 186.	Fr. Guiana.
24.	,, *innocua*, ♂.	,,	p. 187.	Colombia.
25.	,, *quadrina*, ♂.	,,	p. 190.	Costa Rica.
26.	,, *paranensis*, ♂.	,,	p. 190.	Argentina.
27.	*Bertholdia fumida*, ♂.	,,	p. 190.	Costa Rica.
28.	,, *crocea*, ♂.	,,	p. 191.	Costa Rica.

Horace Knight del. et lith.

Adlard & Son & West Newman chr

PLATE XLVIII.

1.	*Ammalo constellata*, ♀.	Suppl. II.	p. 194.	Colombia.
2.	„ *trujillaria*, ♂.	„	p. 194.	Peru.
3.	„ *paranomon*, ♂.	„	p. 194.	Mexico.
4.	„ *tenerosa*, ♂.	„	p. 195.	Mexico.
5.	*Glaucostola metaxantha*, ♀.	„	p. 196.	Costa Rica.
6.	„ *binotata*, ♂.	„	p. 196.	Fr. Guiana.
7.	„ „ ♀.	„	p. 196.	Br. Guiana.
8.	*Hyperthæma perflammans*, ♂.	„	p. 198.	Peru.
9.	„ *hoffmannsi*, ♂.	„	p. 199.	Amazons.
10.	„ *coccinata*, ♂.	„	p. 199.	Fr. Guiana.
11.	*Ochrodota marina*, ♂.	„	p. 202.	Costa Rica.
12.	*Pachydota drucei*, ♂.	„	p. 204.	Costa Rica.
13.	„ *affinis*, ♂.	„	p. 205.	Colombia.
14.	„ *ducasa*, ♂.	„	p. 205.	Venezuela.
15.	„ *peruviana*, ♂.	„	p. 206.	Peru.
16.	„ *albiceps*, ♂.	„	p. 206.	Costa Rica.
17.	„ *rosenbergi*, ♂.	„	p. 207.	Costa Rica
18.	*Dialeucias violascens*, ♀.	„	p. 210.	Fr. Guiana.
12.	*Syntarctia russa*, ♀.	„	p. 211.	Amazons.
20.	„ *uniformis*, ♀.	„	p. 211.	Br. Guiana.

Horace Knight del. et lith. Adlard & Son & West, Newman chr

PLATE XLIX.

1.	*Baritius hampsoni*, ♂.	Suppl. II.	p. 212.	Venezuela.
2.	„ *hæmorrhoides*, ♂.	„	p. 212.	Fr. Guiana.
3.	„ *eleutheroides*, ♂.	„	p. 212.	Fr. Guiana.
4.	„ *affinis*, ♂.	„	p. 213.	Amazons.
5.	*Tricypha rosenbergi*, ♀.	„	p. 214.	Ecuador.
6.	„ *ochrea*, ♂.	„	p. 215.	S. Brazil.
7.	„ *mathani*, ♀.	„	p. 215.	Colombia.
8.	„ *proxima*, ♂.	„	p. 216.	Cuba.
9.	*Pelochyta hæmapleura*, ♀.	„	p. 216.	Colombia.
10.	„ *bicolor*, ♀.	„	p. 216.	Peru.
11.	„ *misera*, ♂.	„	p. 217.	Costa Rica.
12.	„ *brunnescens*, ♂.	„	p. 217.	Peru.
13.	„ *dorsicincta*, ♂.	„	p. 218.	Colombia.
14.	„ *albipars*, ♀.	„	p. 219.	Peru.
15.	„ *pallida*, ♂.	„	p. 219.	Peru.
16.	*Elysius flavicosta*, ♂.	„	p. 220.	Peru.
17.	„ *lavinia*, ♂.	„	p. 221.	Peru.
18.	„ *sarcochroa*, ♂.	„	p. 221.	Colombia.
19.	„ *fuliginosa*, ♂.	„	p. 222.	Peru.
20.	„ *hades*, ♂.	„	p. 222.	Peru.
21.	„ *hampsoni*, ♀.	„	p. 222.	Peru.

Horace Knight del. et lith

Adlard & Son & West Newman chr.

PLATE L.

1.	*Elysius jonesi*, ♀.	Suppl. II.	p. 223.	S. Brazil.
2.	„ *æschista*, ♀.	„	p. 224.	Colombia.
3.	„ *intensa*, ♂.	„	p. 224.	Amazons.
4.	„ *phantasma*, ♂.	„	p. 225.	Fr. Guiana.
5.	„ *conjuncta*, ♂.	„	p. 225.	S. Brazil.
6.	„ *pyrosticta*, ♂.	„	p. 226.	S. Brazil.
7.	„ *atrobrunnea*, ♂.	„	p. 227.	Venezuela.
8.	„ *terraoides*, ♂.	„	p. 227.	Peru.
9.	„ *terra*, ♂.	„	p. 228.	Peru.
10.	„ *systron*, ♂.	„	p. 228.	S. Brazil.
11.	„ *barnesi*, ♀.	„	p. 229.	Cuba.
12.	„ *deceptura*, ♂.	„	p. 229.	Peru.
13.	„ *insula*, ♀.	„	p. 230.	Ecuador.
14.	*Ischnocampa lithosioides*, ♂.	„	p. 230.	S. Brazil.
15.	„ *admeta*, ♀.	„	p. 230.	Venezuela.
16.	„ *hemihyala*, ♂.	„	p. 231.	Peru.
17.	„ *discopuncta*, ♂.	„	p. 231.	Peru.
18.	„ *floccosa*, ♂.	„	p. 232.	Peru.

Horace Knight del. et lith.

Adlard & Son & West Newman chr.

PLATE LI.

1.	*Ischnocampa perirrorata*, ♀.	Suppl. II.	p. 232.	Bolivia.
2.	„ *ignava*, ♀.	„	p. 232.	Colombia.
3.	„ *sordidior*, ♂.	„	p. 233.	Peru.
4.	„ *albiceps*, ♂.	„	p. 233.	Colombia.
5.	„ *ferrea*, ♂.	„	p. 233.	Colombia.
6.	„ *remissa*, ♀.	„	p. 234.	Venezuela.
7.	„ *achrosis*, ♂.	„	p. 234.	Ecuador.
8.	*Opharus roseistriga*, ♂.	„	p. 235.	Costa Rica.
9.	„ *brunneitincta*, ♂.	„	p. 235.	Peru.
10.	„ *intermedia*, ♀.	„	p. 236.	S. America.
11.	„ *hampsoni*, ♂.	„	p. 237.	Peru.
12.	„ *discisema*, ♂.	„	p. 237.	Colombia.
13.	„ „ ♀.	„	p. 237.	Colombia.
14.	„ *decrepidoides*, ♀.	„	p. 238.	Peru.
15.	„ *sestia*, ♂.	„	p. 239.	Peru.
16.	„ *superba*, ♂.	„	p. 239.	S. Brazil.
17.	„ *albimacula*, ♂.	„	p. 241.	S. Brazil.
18.	*Hemihyalea erganoides*, ♂.	„	p. 243.	Venezuela.
19.	„ *argillacea*, ♂.	„	p. 243.	Oregon.
20.	„ *parergana*, ♂.	„	p. 244.	Colombia.
21.	*Ischnocampa obscurata*, ♀	„	p. 234.	Colombia.

Horace Knight del. et lith

Adlard & Son & West, Newman chr.

PLATE LII.

1.	*Hemihyalea tenuimargo*, ♂.	Suppl. II.	p. 244.	Colombia.
2.	„ *annaria*, ♀.	„	p. 245.	Costa Rica.
3.	„ *ochracea*, ♀.	„	p. 246.	Mexico.
4.	„ *mansueta*, ♂.	„	p. 246.	Mexico.
5.	„ *battyi*, ♀.	„	p. 246.	Colombia.
6.	„ *splendens*, ♀.	„	p. 246.	Mexico.
7.	„ *euornithia*, ♂.	„	p. 246.	Mexico.
8.	„ *nimbipicta*, ♂.	„	p. 247.	Mexico.
9.	„ *melas*, ♂.	„	p. 249.	Peru.
10.	*Pseudopharus domingona*, ♂.	„	p. 249.	Peru.
11.	„ *cornelia*, ♂.	„	p. 249.	Peru.
12.	*Amastus antonio*, ♂.	„	p. 250.	Argentina.
13.	„ *thermidora*, ♀.	„	p. 251.	Ecuador.
14.	„ *deinella*, ♀.	„	p. 251.	Peru.
15.	„ *pseuderebella*, ♀.	„	p. 252.	Colombia.
16.	„ *subterminata*, ♀.	„	p. 252.	Colombia.
17.	„ *erebelloides*, ♀.	„	p. 253.	Peru.
18.	„ *volcancita*, ♀.	„	p. 254.	Colombia.

Horace Knight del. et lith.

Adlard & Son & West Newman chr.

PLATE LIII.

1.	*Amastus paramensis*, ♂.	Suppl. II.	p. 254.	Colombia.
2.	„ *childi*, ♀.	„	p. 254.	Colombia.
3.	„ *rubidorsata*, ♂.	„	p. 255.	Peru.
4.	„ *rothschildi*, ♀.	„	p. 255.	Colombia.
5.	„ *scriblita*, ♀.	„	p. 256.	Colombia.
6.	„ *flavicauda*, ♀.	„	p. 256.	Guatemala.
7.	„ *affinis*, ♀.	„	p. 256.	Peru.
8.	„ *fulvizonata*, ♂.	„	p. 258.	Peru.
9.	„ *flavida*, ♂.	„	p. 260.	Colombia.
10.	„ *rumina*, ♀.	„	p. 261.	Costa Rica.
11.	„ *lehmanni*, ♂.	„	p. 264.	Colombia.
12.	„ *edapha*, ♂.	„	p. 263.	Mexico.
13.	*Hyalarctia tepica*, ♂.	„	p. 264.	Mexico.
14.	*Thalesa amaxiæformis*, ♂.	„	p. 267.	Ecuador.
15.	*Halisidota montana*, ♂.	„	p. 271.	Costa Rica.

Horace Knight del. et lith.

Adlard & Son & West, Newman Ltd. chr

PLATE LIV.

1.	*Halisidota tanamo*, ♂.	Suppl. II. p. 271.		Cuba.
2.	,, *grotei*, ♂.	,,	p. 272.	Cuba.
3.	.. *maroniensis*, ♂.	,,	p. 273.	Fr. Guiana.
4.	.. *contempta*, ♂.	,,	p. 273.	Amazons.
5.	.. *cirphis*, ♂.	,,	p. 275.	Costa Rica.
6.	.. *lua*, ♂.	,,	p. 275.	Mexico.
7.	.. *liparoides*, ♂.	,,	p. 276.	Surinam.
8.	.. *turrialba*, ♂.	,,	p. 279.	Costa Rica.
9.	.. *quadrata*, ♂.	,,	p. 280.	Peru.
10.	.. *lacteogrisea*, ♂.	,,	p. 281.	Venezuela.
11.	.. *striata*, ♀.	,,	p. 287.	S. Brazil.
12.	.. *sannionis*, ♂.	,,	p. 287.	Peru.
13.	.. *grandis*, ♂.	,,	p. 288.	Colombia.
14.	.. *aurata*, ♀.	..	p. 289.	S. Brazil.
15.	.. *bipartita*, ♂.	..	p. 290.	Colombia.
16.	.. *hadenoides*, ♀.	..	p. 291.	Amazons.
17.	.. *fuscosa*, ♂.	,,	p. 291.	S. Brazil.
18.	.. *stipulata*, ♂.	,,	p. 292.	Peru.
19.	.. *stipulatoides*, ♂.	,,	p. 293.	Br. Guiana.
20.	.. *nebulosa*, ♂.	,,	p. 293.	Amazons.
21.	.. *angulata*, ♂.	..	p. 294.	Peru.

Horace Knight del. et lith.

Adlard & Son & West, Newman Ltd. chr

PLATE LV.

1.	*Halisidota obvia*, ♂.	Suppl. II.	p. 294.	Fr. Guiana.
2.	,, *batesi*, ♂.	,,	p. 295.	Amazons.
3.	,, *racema*, ♂.	,,	p. 295.	Fr. Guiana.
4.	,, *vangetta*, ♂	,,	p. 296.	Mexico.
5.	,, *apicepunctata*, ♂.	,,	p. 297.	Peru.
6.	,, *nimbiscripta*, ♀.	,,	p. 297.	Mexico.
7.	,, *ronda*, ♂.	,,	p. 298.	S. Brazil.
8.	,, *dallipa*, ♂.	,,	p. 299.	S. Brazil.
9.	,, *longipennis*, ♂.	,,	p. 299.	Bolivia.
10.	,, *malodonta*, ♂.	,,	p. 299.	Peru.
11.	,, *pseudomaculata*, ♀.	,,	p. 300.	Brazil.
12.	,, *subannula*, ♂.	,,	p. 302.	Costa Rica.
13.	,, *albipennis*, ♀.	,,	p. 303.	Bahamas.
14.	,, *melanoproctis*, ♀.	,,	p. 303.	Peru.
15.	,, *semifulva*, ♀.	,,	p. 304.	Peru.
16.	,, *picata*, ♀.	,,	p. 305.	Peru.
17.	,, *vitreata*, ♂.	,,	p. 305.	Peru.
18.	,, *semivitrea*, ♂.	,,	p. 306.	Peru.
19.	,, *agramma*, ♂.	,,	p. 306.	Peru.
20.	,, *semibrunnea*, ♂.	,,	p. 306.	Peru.
21.	,, *roseofasciata*, ♂.	,,	p. 307.	Peru.

Horace Knight del. et lith. Adlard & Son & West, Newman chr.

PLATE LVI.

1.	*Mataxanthia aureiventris*, ♀.	Suppl. II.	p. 308.	Colombia.
2.	„ *atribasis*, ♀.	„	p. 308.	Ecuador.
3.	„ *threnodes*, ♂.	„	p. 308.	Venezuela.
4.	*Agoræa atrivena*, ♀.	„	p. 308.	Colombia.
5.	„ *phæophlebia*, ♀.	„	p. 309.	Venezuela.
6.	„ *boettgeri*, ♂.	„	p. 309.	Peru.
7.	„ *occendeni*, ♂.	„	p. 310.	Peru.
8.	„ *inconspicua*, ♀.	„	p. 310.	Costa Rica.
9.	„ *semivitrea*, ♂.	„	p. 310.	Venezuela.
10.	„ *clagesi*, ♀.	„	p. 310.	Amazons.
11.	*Æmilia occidentalis*, ♂.	„	p. 312.	Colorado.
12.	„ *mincosa*, ♀.	„	p. 313.	Peru.
13.	„ *fassli*, ♂.	„	p. 313.	Colombia.
14.	„ *suffusa*, ♂.	„	p. 313.	Brazil.
15.	„ *stuarti*, ♀.	„	p. 314.	Amazons.
16.	„ *melanchra*, ♂.	„	p. 315.	Peru.
17.	„ *brunneipars*, ♂.	„	p. 315.	Peru.
18.	*Eubaphe calera*, ♀.	„	p. 316.	Arizona.
19.	„ *ferruginosa*, ♂.	„	p. 317.	Canada.
20.	„ *cyana*, ♂.	„	p. 317.	Colombia.
21.	*Virbia flavifurca*, ♀.	„	p. 318.	Venezuela.
22.	„ *birchi*, ♀.	„	p. 318.	Guatemala.
23.	„ *phalangia*, ♂.	„	p. 319.	Mexico.
24.	„ *rosenbergi*, ♂.	„	p. 319.	Nicaragua.
25.	„ *undervoodi*, ♀.	„	p. 320.	Costa Rica.
26.	„ *punctata*, ♂.	„	p. 320.	Colombia.
27.	„ *epione*, ♂.	„	p. 321.	Peru.
28.	„ *affinis*, ♂.	„	p. 321.	Ecuador.

Adlard & Son & West Newman Lith.

PLATE LVII.

1.	*Virbia endomelæna*, ♂.	Suppl. II.	p. 322.	Colombia.
2.	„ *endophæa*, ♂.	„	p. 322.	Bolivia.
3.	„ *ovata*, ♀.	„	p. 323.	S. Brazil.
4.	„ *rotundata*, ♂.	„	p. 323.	S. Brazil.
5.	„ *fluminea*, ♂.	„	p. 323.	Costa Rica.
6.	„ *lehmanni*, ♂.	„	p. 323.	Colombia.
7.	„ *palmeri*, ♂.	„	p. 324.	Colombia.
8.	„ *flemmingi*, ♂.	„	p. 324.	Ecuador.
9.	*Heliactinidia flavivena*, ♂.	„	p. 327.	Colombia.
10.	„ *sitia*, ♀.	„	p. 327.	Costa Rica.
11.	*Cyanarctia flavinigra*, ♀.	„	p. 328.	Colombia.
12.	„ *basiplaga*, ♂.	„	p. 329.	Mexico.
13.	*Diospage semimarginata*, ♂.	„	p. 330.	Ecuador.
14.	„ *carilla*, ♀.	„	p. 330.	Costa Rica.
15.	*Hypocrisias gemella*, ♂.	„	p. 334.	Costa Rica.
16.	„ *berthula*, ♂.	„	p. 334.	Mexico.
17.	„ *lisoma*, ♂.	„	p. 335.	Mexico.
18.	*Ocnogyna rothschildi*, ♂.	„	p. 342.	Russia.
19.	*Phragmatobia occidentalis*, ♂.	„	p. 344.	Morocco.
20.	„ *serarum*, ♂.	„	p. 345.	E. Turkestan.
21.	„ *vagneri*, ♀.	„	p. 346.	C. Asia.
22.	„ *cœlestina*, ♀.	„	p. 352.	E. Turkestan.
23.	*Ardices meridionalis*, ♂.	„	p. 352.	S. Australia.
24.	*Mænas ramosa*, ♀.	„	p. 354.	"Germ. E. Africa."
25.	„ *avola*, ♀.	„	p. 355.	Br. N. Guinea.
26.	„ *homœma*, ♂.	„	p. 355.	S. Nigeria.
27.	„ *intacta*, ♀.	„	p. 356.	S. Nigeria.
28.	„ *flavescens*, ♀.	„	p. 356.	S. Brazil.

Horace Knight del. et lith.

Adlard & Son & West Newman Ltd. chr.

PLATE LVIII.

1.	*Mænas lehmanni*, ♂.	Suppl. II.	p. 357.	Colombia.
2.	„ *fosteri*, ♂.	„	p. 357.	Paraguay.
3.	„ *peruensis*, ♂.	„	p. 358.	Peru.
4.	„ *tolimensis*, ♂.	„	p. 359.	Colombia.
5.	„ *quadrata*, ♀.	„	p. 360.	Paraguay.
6.	„ *thursbyi*, ♂.	„	p. 360.	Patagonia.
7.	*Spilosoma roseicincta*, ♂.	„	p. 363.	Colombia.
8.	„ *rhodophilodes*, ♂.	„	p. 363.	Formosa.
9.	„ *neglecta*, ♂.	„	p. 365.	Sikhim.
10.	„ *lifuensis*, ♂.	„	p. 365.	Loyalty Is.
11.	„ *cincticorpus*, ♀.	„	p. 366.	Uganda.
12.	„ *microsticta*, ♂.	„	p. 367.	S. Nigeria.
13.	„ *tristicta*, ♂.	„	p. 367.	N. Nigera.
14.	„ *oligosticta*, ♂.	„	p. 368.	Uganda.
15.	„ *diversata*, ♀.	„	p. 372.	Somaliland.
16.	„ *rattrayi*, ♀.	„	p. 373.	Gold Coast.
17.	„ *yemenensis*, ♂.	„	p. 374.	Arabia.
18.	„ *investigatorum*, ♂.	„	p. 375.	Br. E. Africa.
19.	„ *biagi*, ♂.	„	p. 377.	N. Guinea
20.	„ *geminipuncta*, ♂.	„	p. 379.	Abyssinia.
21.	„ *neurica*, ♂.	„	p. 380.	Sikkim.
22.	„ *nigrescens*, ♂.	„	p. 380.	Assam.

Horace Knight del. et lith. Adlard & Son & West Newman Ltd. chr.

PLATE LIX.

1.	*Spilosoma*	*metaleuca*, ♂.	Suppl. II.	p. 381.	S. Nigeria.
2.	,,	*obliquizonata*, ♂.	,,	p. 384.	Japan.
3.	,,	*javana*, ♂.	,,	p. 385.	Java.
4.	,,	*procedra*, ♂.	,,	p. 385.	Sumatra
5.	,,	*dohertyi*, ♂.	,,	p. 387.	Celebes.
6.	,,	*venata*, ♂.	,,	p. 388.	Philippines.
7.	,,	*vhiteheadi*, ♂.	,,	p. 388.	Philippines.
8.	,,	*postrubida*, ♀.	,,	p. 388.	Formosa.
9.	,,	*rhodochroa*, ♂.	,,	p. 389.	Java.
10.	,,	*contaminata*, ♂.	,,	p. 389.	Formosa.
11.	,,	*inconspicua*, ♂.	,,	p. 390.	"Germ. E. Africa."
12.	,,	*hypogopa*, ♀	,,	p. 390.	Singapore.
13.	,,	*holoxantha*, ♀.	,,	p. 392.	S. Nigeria.
14.	,,	*pulverea*, ♀.	,,	p. 392.	Paraguay.
15.	,,	*sulphurea*, ♂.	,,	p. 392.	Cameroons.
16.	,,	*pales*, ♂.	,,	p. 393.	"Germ. E. Africa."
17.	,,	*atridorsia*, ♂.	,,	p. 393.	Uganda.
18.	,,	*euryphlebia*, ♂.	,,	p. 394.	Zululand.

Horace Knight del. et lith. Adlard & Son & West Newman Ltd. chr.

PLATE LX.

1.	*Spilosoma penicillata*, ♂.	Suppl. II.	p. 394.	Sierra Leone.
2.	,, *occidens*, ♀.	,,	p. 394.	Gold Coast.
3.	,, *crossi*, ♂.	,,	p. 395.	S. Nigeria.
4.	,, *screabilis*, ♂.	,,	p. 395.	Natal.
5.	,, *lentifasciata*, ♂.	,,	p. 396.	Mashonaland.
6.	,, *sinefascia*, ♂.	,,	p. 396.	Mashonaland.
7.	,, *mundata*, ♂.	,,	p. 396.	Sierra Leone.
8.	,, *leighi*, ♀.	,,	p. 397.	Natal.
9.	,, *moltrechti*, ♂.	,,	p. 398.	Japan.
10.	,, *punctilinea*, ♂.	,,	p. 398.	Formosa
11.	,, *fumida*, ♂.	,,	p. 399.	Formosa.
12.	,, *neurographa*, ♂.	,,	p. 400.	Formosa.
13.	,, *clava*, ♂.	,,	p. 400.	Formosa.
14.	,, *solitaria*, ♀.	,,	p. 401.	Formosa.
15.	,, *arctichroa*, ♀.	,,	p. 407.	N. Guinea.
16.	,, *novæguineæ*, ♂.	,,	p. 408.	N. Guinea.
17.	,, *melanodisca*, ♂.	,,	p. 409.	Uganda.
18.	,, *sumatrana*, ♂.	,,	p. 410.	Sumatra.
19.	,, *aurapsa*, ♀.	,,	p. 410.	Amboina.
20.	,, *styx*, ♂.	,,	p. 411.	N. Guinea.
21.	,, *nyasica*, ♂.	,,	p. 417.	Br. C. Africa.

Horace Knight del. et lith.

Adlard & Son & West Newman Ltd. chr

PLATE LXI.

1.	*Spilosoma ougarra*, ♂.	Suppl. II.	p. 416.	N. Guinea.
2.	„ *accensa*, ♀.	„	p. 417.	Sumatra.
3.	„ *coccinea*, ♂.	„	p. 418.	Philippines.
4.	„ *metarhoda*, ♂.	„	p. 418.	Philippines.
5.	„ „ ♀.	„	p. 418.	Philippines.
6.	„ *viridis*, ♂.	„	p. 419.	Peru.
7.	„ *togoensis*, ♂.	„	p. 420.	Togoland.
8.	*Acantharctia latifasciata*, ♂.	„	p. 421.	Transvaal.
9.	„ *atriramosa*, ♀.	„	p. 422.	Uganda.
10.	*Amsacta flavicosta*, ♂.	„	p. 422.	S. Leone.
11.	„ *nivea*, ♂.	„	p. 422.	Transvaal.
12.	„ *flavizonata*, ♀.	„	p. 423.	S. Nigeria.
13.	„ *mombasana*, ♂.	„	p. 423.	Br. E. Africa.
14.	„ *ugandæ*, ♀.	„	p. 423.	Uganda.
15.	„ *atricrures*, ♂.	„	p. 424.	Pemba I.
16.	„ *hampsoni*, ♀.	„	p. 425.	Gold Coast.
17.	*Creatonotus gracilis*, ♂.	„	p. 427.	Syria.
18.	„ *neurophæa*, ♂.	„	p. 427.	Gold Coast.
19.	„ *brunneipennis*, ♂.	„	p. 428.	Uganda.
20.	*Hyphantria strigulosa*, ♂.	„	p. 428.	Natal.
21.	„ *atripes*, ♀.	„	p. 429.	Gold Coast.
22.	„ *penthetria*, ♂.	„	p. 429.	Mexico.
23.	*Estigmene cosmeta*, ♂.	„	p. 430.	N. S. Wales.
24.	*Paranerita carminata*, ♀.	„	p. 84.	Fr. Guiana.

Edgar S. Knight del. et lith.

Adlard & Son & West Newman Ltd. chr.

PLATE LXII.

1.	*Estigmene melanocera*, ♂.	Suppl. II.	p. 431.	Br. C. Africa.
2.	„ *mediopunctata*, ♀.	„	p. 432.	Br. E. Africa.
3.	„ *unipuncta*, ♂.	„	p. 432.	Br. E. Africa.
4.	„ *carschi*, ♂.	„	p. 432.	N. Nigeria.
5.	„ *gynephæa*, ♂.	„	p. 433.	Mashonaland.
6.	„ „ ♀.	„	p. 433.	Mashonaland.
7.	„ *ansorgei*, ♂.	„	p. 433.	Uganda.
8.	„ *similis*, ♂.	„	p. 434.	Uganda.
9.	„ *cingulata*, ♂.	„	p. 438.	Madras.
10.	*Pericallia nephelistis*, ♀.	„	p. 439.	Angola.
11.	„ *magna*, ♂.	„	p. 441.	Formosa.
12.	„ *coorgensis*, ♀.	„	p. 444.	Madras.
13.	*Ecpantheria braziliensis*, ♂.	„	p. 445.	Brazil.
14.	„ „ ♀.	„	p. 445.	Brazil.
15.	*Estigmene neuriastis*, ♂.	„	p. 434.	Angola.
16.	„ *unilinea*, ♂.	„	p. 434.	S. Nigeria.
17.	„ *multivittata*, ♂.	„	p. 435.	Br. E. Africa.
18.	„ *griseipennis*, ♂.	„	p. 435.	Angola.
19.	„ *rothi*, ♂.	„	p. 435.	S. Nigeria.
20.	„ *internigralis*, ♂.	„	p. 435.	Natal.
21.	„ *edlingeri*, ♀.	„	p. 437.	S. Nigeria.
22.	„ *flaviceps*, ♂.	„	p. 437.	S. Leone.

Edgar S. Knight del. et lith

Adlard & Son & West Newman Ltd. chr.

PLATE LXIII.

1.	*Ecpantheria cennedyi*, ♂.	Suppl. II.	p. 446.	S. Brazil.
2.	,, *euripides*, ♂.	,,	p. 447.	Mexico.
3.	,, *perplexa*, ♂.	,,	p. 448.	Costa Rica.
4.	,, *obtecta*, ♂.	,,	p. 449.	Argentina.
5.	,, *dognini*, ♂.	,,	p. 449.	S. Brazil.
6.	,, ,, ♀.	,,	p. 449.	S. Brazil.
7.	,, *testacea*, ♂.	,,	p. 450.	Peru.
8.	,, ,, ♀.	,,	p. 450.	Peru.
9.	,, *obsolescens*, ♂.	,,	p. 451.	Peru.
10.	,, ,, ♀.	,,	p. 451.	Peru.
11.	,, *cretacea*, ♂.	,,	p. 451.	Colombia.
12.	,, ,, ♀.	,,	p. 451.	Colombia.
13.	,, *andromela*, ♂.	,,	p. 454.	Mexico.
14.	,, ,, ♀.	,,	p. 454.	Mexico.
15.	*Apantesis toœle*, ♂.	,,	p. 456.	Utah.
16.	,, *nundar*, ♂.	,,	p. 458.	Mexico.
17.	,, *bicolor*, ♂.	,,	p. 458.	Bahamas.
18.	*Codiasoma otero*, ♀.	,,	p. 459.	Arizona.

Edgar S. Knight del. et lith.

Adlard & Son & West Newman Ltd. chr.

PLATE LXIV.

1.	*Hypomolis rothschildi*, ♂.	Suppl. II.	p. 460.	Colombia.
2.	„ *virescens*, ♂.	„	p. 460.	Peru.
3.	„ *metarhoda*, ♂.	„	p. 461.	Ecuador.
4.	„ „ ♀.	„	p. 461.	Ecuador.
5.	*Chlarhoda viridis*, ♂.	„	p. 462.	Peru.
6.	„ *metamelæna*, ♂.	„	p. 463.	Colombia.
7.	*Palæomolis metacauta*, ♂.	„	p. 464.	Colombia.
8.	*Pygarctia neomexicana*, ♀.	„	p. 466.	Texas.
9.	„ *pterostigma*, ♂.	„	p. 466.	Mexico.
10.	„ *poliochroa*, ♂.	„	p. 466.	Arizona.
11.	„ *oslari*, ♂.	„	p. 467.	New Mexico.
12.	„ *flavidorsalis*, ♂.	„	p. 467.	Texas.
13.	*Euchætias parazona*, ♀.	„	p. 467.	Mexico.
14.	„ *gigantea*, ♂.	„	p. 468.	Arizona.
15.	„ *rhadia*, ♂.	„	p. 468.	Mexico.
16.	„ *epagoga*, ♂,	„	p. 469.	Mexico.
17.	„ *mitis*, ♂.	„	p. 469.	Costa Rica.
18.	„ *castalla*, ♂.	„	p. 469.	Arizona.
19.	„ *psara*, ♂.	„	p. 469.	Mexico.
20.	„ *cressida*, ♂.	„	p. 470.	Mexico.
21.	*Stenarctia griseipennis*, ♀.	„	p. 470.	S. Nigeria.
22.	„ *abdominalis*, ♂.	„	p. 471.	S. Leone.
23.	*Seirarctia alicia*, ♂.	„	p. 471.	Br. E. Africa.
24.	„ *metaxantha*, ♂.	„	p. 472.	Transvaal.
25.	*Turuptiana affinis*, ♂.	„	p. 473.	Venezuela.
26.	„ *panoezys*, ♂.	„	p. 474.	Mexico.
27.	„ *sanguinea*, ♂.	„	p. 474.	Bolivia.
28.	„ *tessellata*, ♂.	„	p. 476.	Peru.
29.	„ *bricenoi*, ♂.	„	p. 475.	Venezuela.
30.	*Metacrisia schausi*, ♂.	„	p. 478.	Colombia.
31.	*Calidota clarcana*, ♂.	„	p. 479.	Mexico.
32.	„ *albaticosta*, ♂.	„	p. 479.	Mexico.

Edgar S. Knight del. et lith. Adlard & Son & West Newman Ltd. chr

PLATE LXV.

1.	*Robinsonia irregularis*, ♂.	Suppl. II.	p. 8.	Brazil.
2.	*Neidalia irrorata*, ♂.	,,	p. 10.	Peru.
3.	*Idalus albidior*, ♀.	,,	p. 20.	Venezuela.
4.	*Prumala subtessellata*, ♂.	,,	p. 29.	Venezuela.
5.	*Zatrephes lentiginosa*, ♂.	,,	p. 55.	Fr. Guiana.
6.	*Eriostepta peruana*, ♂.	,,	p. 66.	Peru.
7.	*Paranerita rubrosignata*, ♂.	,,	p. 82.	Fr. Guiana.
8.	,, *translucida*, ♂.	,,	p. 89.	Peru.
9.	*Automolis soror*, ♀.	,,	p. 176.	Amazons.
10.	*Melese underwoodi*, ♀.	,,	p. 180.	Costa Rica.
11.	*Baritius palmeri*, ♂.	,,	p. 212.	Colombia.
12.	*Elysius meridionalis*, ♀.	,,	p. 222.	S. Brazil.
13.	,, *subterra*, ♂.	,,	p. 226.	Peru.
14.	*Opharus albijuncta*, ♂.	,,	p. 235.	Colombia.
15.	*Automolis schausi*, ♀.	,,	p. 161.	Costa Rica.
16.	*Paranerita metapyrioides*, ♂.	,,	p. 90.	Colombia.
17.	*Neritos cennedyi*, ♂.	,,	p. 114.	Brazil.
18.	*Antaxia similis*, ♂.	,,	p. 125.	Peru.
19.	*Automolis decisa*, ♀.	,,	p. 141.	Fr. Guiana.
20.	,, *sordidipennis*, ♀.	,,	p. 144.	Venezuela.
21.	,, *fulminans*, ♀.	,,	p. 154.	Brazil.

Edgar S. Knight del. et lith. Adlard & Son & West Newman Ltd. chr

PLATE LXVI.

1.	*Automolis catherinæ*, ♂.	Suppl. II.	p. 171.	S. Brazil.
2.	*Ammalo cirphoides*, ♂.	„	p. 195.	Colombia.
3.	*Carathis melamera*, ♂.	„	p. 208.	S. Brazil.
4.	*Hemihyalea subtenuimargo*, ♂.	„	p. 242.	Colombia.
5.	„ *vitreata*, ♀.	„	p. 248.	Colombia.
6.	„ *debilis*, ♀.	„	p. 248.	Venezuela.
7.	*Amastus ferreobrunnea*, ♂.	„	p. 254.	Colombia.
8.	„ *vatcinsi*, ♀.	„	p. 259.	Peru.
9.	„ *tolimensis*, ♀.	„	p. 264.	Colombia.
10.	*Heliactinidia tornensis*, ♂.	„	p 326.	Colombia.
11.	„ *dispar*, ♀.	„	p. 326.	Argentina.
12.	*Cyanarctia percurrens*, ♀.	„	p. 328.	Peru.
13.	*Mænas decemmaculata*, ♂.	„	p. 356.	Congo.
14.	*Halisidata tolimensis*, ♂.	„	p. 303.	Colombia.
15.	*Spilosoma ignivagans*, ♂.	„	p. 382.	Yunnan.
16.	„ *melanochroa*, ♂.	„	p. 411.	S. India.
17.	„ *eichhorni*, ♂.	„	p. 401.	Goodenough I.
18.	*Estigmene stygioides*, ♂.	„	p. 431.	S. Nigeria.
19.	„ *nigrocastanea*, ♀.	„	p. 433.	Angoniland.
20.	*Seirarctia approximans*, ♂.	„	p. 472.	"Germ. E. Africa."
21.	„ *melanocera*, ♂.	„	p. 472.	"Germ. E. Africa."
22.	„ „ ♀.	„	p. 472.	"Germ. E. Africa."

Edgar S. Knight del. et lith.

Adlard & Son & West Newman Ltd. chr.

PLATE LXVII.

1.	*Amastus formosana*, ♂.	Suppl. II.	p. 250.	Argentina.
2.	*Turuptiana pellucida*, ♂.	,,	p. 475.	Colombia.
3.	,, *fuscescens*, ♂.	,,	p. 478.	Peru.
4.	*Calidota zella*, ♂.	,,	p. 480.	Arizona.
5.	,, *angelus*, ♂.	,,	p. 480.	Mexico.
6.	,, *calosoma*, ♂.	,,	p. 480.	Mexico.
7.	,, *quadripunctata*, ♂.	,,	p. 481.	Costa Rica.
8.	,, *momis*, ♂.	,,	p. 481.	Mexico.
9.	,, *palmeri*, ♂.	,,	p. 481.	Colombia.
10.	,, *leucocorypha*, ♀.	,,	p. 482.	Peru.
11.	,, *paulina*, ♀.	,,	p. 482.	S. Brazil.
12.	,, *conspicua*, ♀.	,,	p. 482.	Peru.
13.	,, *rudis*, ♂.	,,	p. 483.	Costa Rica.
14.	*Mallocephala bogotensis*, ♂.	,,	p. 484.	Colombia.
15.	,, *brittoni*, ♂.	,,	p. 485.	Argentina.
16.	*Antarctia rhodosoma*, ♂.	,,	p. 485.	Chili.
17.	,, *multifarior*, ♂.	,,	p. 485.	Argentina.
18.	,, ,, ♀.	,,	p. 485.	Argentina.
19.	,, *cajetani*, ♂.	,,	p. 486.	Uruguay.
20.	,, *reversa*, ♂.	,,	p. 487.	S. Brazil.
21.	,, *atrifascia*, ♂.	,,	p. 487.	Portuguese E. Africa.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

PLATE LXVIII.

1.	*Antarctia uniformis*, ♀.	Suppl. II.	p. 487.	S. Brazil.
2.	,, *fulvicollis*, ♂.	,,	p. 487.	Chili.
3.	,, *vulpecula*, ♂.	,,	p. 488.	Peru.
4.	,, *phæocera*, ♂.	,,	p. 488.	Paraguay.
5.	,, ,, ♀.	,,	p. 488.	Paraguay.
6.	,, *gigantea*, ♂.	,,	p. 489.	S. Brazil.
7.	,, ,, ♀.	,,	p. 489.	S. Brazil.
8.	,, *pectinalis*, ♂.	,,	p. 489.	S. Brazil.
9.	,, *pallidivena*, ♂.	,,	p. 490.	S. Brazil.
10.	*Proschaliphora albida*, ♂.	,,	p. 492.	Transvaal.
11.	*Euverna mexicana*, ♂.	,,	p. 495.	Mexico.
12.	*Arctia ruechbeili*, ♂.	,,	p. 501.	E. Turkestan.
13.	*Teracotona pruinosa*, ♀.	,,	p. 503.	Eritrea.
14.	*Baroa siamica*, ♀.	,,	p. 507.	Siam.
15.	*Utetheisa fatua*, ♀.	,,	p. 510.	"Germ. E. Africa."
16.	*Carcinarctia læliodes*, ♂.	,,	p. 504.	Br. E. Africa.
17.	*Utetheisa pectinata*, ♂.	,,	p. 509.	N. Australia.
18.	,, *pulchelloides*, ♂.	,,	p. 510.	Chagos Is.
19.	*Rhodogastria atrivena*, ♀.	,,	p. 515.	Uganda.
20.	,, *pallida*, ♂.	,,	p. 517.	Dili.
21.	,, *fumida*, ♂.	,,	p. 517.	Gilolo.
22.	,, *pannosa*, ♂.	,,	p. 518.	S. Nigeria.
23.	,, *timiolis*, ♂.	,,	p. 518.	Queensland.
24.	,, *communis*, ♂.	,,	p. 519.	Buru.
25.	,, *curta*, ♂.	,,	p. 520.	Bismarck Arch.

1
8
9
19
2
10
11
20
3
12
21
4
13
22
5
14
23
15
16
6
17
24
7
18
25

PLATE LXIX.

1.	*Amastus diaphenes*, ♂.	Suppl. II.	p. 255.	Colombia.
2.	*Mænas tapina*, ♂.	„	p. 358.	Peru.
3.	*Metacrisia pua*, ♂.	„	p. 478.	Mexico.
4.	*Pericallia pannycha*, ♀.	„	p. 443.	Mexico.
5.	*Spilosoma dollmani*, ♂.	„	p. 371.	N. Rhodesia.
6.	*Estigmene metaxantha*, ♂.	„	p. 436.	N. Rhodesia.
7.	*Turuptiana ochthœba*, ♀.	„	p. 474.	N. Rhodesia.
8.	*Rhodogastria metasarca*, ♂.	„	p. 522.	S. Nigeria.
9.	„ *carneola*, ♂.	„	p. 522.	Br. C. Africa.
10.	„ *castanea*, ♂.	„	p. 522.	S. Nigeria.
11.	„ *thermochroa*, ♂.		p. 523.	Br. E. Africa.
12.	„ *phædra*, ♂.	„	p. 524.	"Germ. E. Africa."
13.	„ *nigropunctata*, ♂.		p. 524.	Br. N. Guinea.
14.	„ *erythropus*, ♀.	„	p. 525.	Bismarck Arch.
15.	„ *bauri*, ♂.	„	p. 526.	Cape Colony.
16.	„ *vitrea*, ♂.	„	p. 527.	Angola.
17.	„ *affinis*, ♂.	„	p. 527.	Natal.
18.	„ *rhodopa*, ♂.	„	p. 528.	Madras.
19.	„ *eugenia*, ♂.	„	p. 529.	Bombay.
20.	„ *lactea*, ♀.	„	p. 529.	Burma.
21.	„ *fuscivena*, ♂.	„	p. 530.	Uganda.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

PLATE LXX.

1.	*Eusemia macrosema*, ♂.	Suppl. II.	p. 535.	Burma.
2.	*Exsula albomaculata*, ♀.	„	p. 537.	Formosa.
3.	*Cruria synopla*, ♂.	„	p. 542.	Queensland.
4.	„ *epicharita*, ♂.	„	p. 542.	Queensland.
5.	*Odice ombirana*, ♀.	„	p. 544.	Obi.
6.	„ *integra*, ♂.	„	p. 545.	Solomon Is.
7.	„ *concisa*, ♂.	„	p. 545.	N. Guinea.
8.	*Rhodogastria cuehni*, ♀.	„	p. 531.	Tenimber.
9.	*Ilemodes astriga*, ♂.	„	p. 531.	Transvaal.
10.	*Hypomolis amabilis*, ♂.	„	p. 461.	Brazil.
11.	*Pygarctia grossbecci*, ♀.	„	p. 465.	Florida.
12.	„ *lorula*, ♂.	„	p. 467.	Texas.
13.	*Spilosoma nigricornis*, ♂.	„	p. 378.	N. Guinea.
14.	*Odice capiens*, ♂.	„	p. 546.	Soloman Is.
15.	„ *unimacula*, ♂.	„	p. 546.	Queensland.
16.	*Phalænoides perisa*, ♂.	„	p. 548.	N. Guinea.
17.	„ *cremor*, ♂.	„	p. 548.	N. Guinea.
18.	*Heraclia flavisignata*, ♂.	„	p. 549.	Br. E. Africa.
19.	„ *atrifusa*, ♂.	„	p. 550.	Uganda.
20.	„ *atribasalis*, ♂.	„	p. 556.	Br. E. Africa.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

PLATE LXXI.

1.	*Heraclia signata*, ♂.	Suppl. II.	p. 558.	Uganda.
2.	„ *perpallida*, ♂.	„	p. 559.	Uganda.
3.	*Rothia cruenta*, ♂.	„	p. 566.	Madagascar.
4.	„ *gracilis*, ♂.	„	p. 569.	Madagascar.
5.	*Apægocera aurantipennis*, ♂.		p. 573.	Uganda.
6.	*Ægocera fuscicosta*, ♂.	„	p. 574.	Angoniland.
7.	„ *geometrica*, ♀.	„	p. 575.	Congo.
8.	*Mimeusemia vilemani*, ♂.	„	p. 580.	Formosa.
9.	*Tuerta insulica*, ♂.	„	p. 585.	Trinidad.
10.	„ *hemicycla*, ♂.	„	p. 588.	Bahamas.
11.	*Massagidia xenia*, ♂.	„	p. 590.	Cameroons.
12.	*Seirocastnia extensa*, ♂.	„	p. 591.	Colombia.
13.	*Melanchroiopsis acroleuca*, ♂.		p. 592.	Mexico.
14.	*Tuerta cyanopasta*, ♀.	„	p. 586.	Br. E. Africa.
15.	„ *rema*, ♂.	„	p. 586.	"Germ. E. Africa."
16.	*Ægocera tricolora*, ♂.	„	p. 578.	Congo.
17.	„ *schenci*, ♀.	„	p. 577.	Natal.
18.	„ *mesia*, ♂.	„	p. 576.	Uganda.
19.	„ *gynandra*, ♂.	„	p. 575.	Congo.
20.	*Pais ansorgei*, ♂.	„	p. 572.	Angola.

Edgar S. Knight del. et lith Adlard & Son & West Newman Ltd chr.

3047

SMITHSONIAN INSTITUTION LIBRARIES
3 9088 00169587 3
nhent QL542.B8X
Catalogue of the Lepidoptera Phalene in